* SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name/designation	elma lab clean N10 (ELC N10)
Unique Formula Identifier	UFI: HS30-F04J-F005-XPTQ
Product category	PC-CLN-OTH Other cleaning, care and maintenance products (excludes biocidal products)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Sector of uses [SU]
SU20 Health services
SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
SU3 Industrial uses

Process categories [PROC]
PROC7 Industrial spraying
PROC8a Transfer of substance or mixture (charging and discharging) at non- dedicated facilities
PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)
PROC13 Treatment of articles by dipping and pouring
PROC11 Non industrial spraying

Environmental release categories [ERC]
ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)

Product Categories [PC]
PC35 Washing and cleaning products

Use of the substance/mixture
Aqueous, neutral, foam-inhibited cleaning concentrate for ultrasonic, immersion & splash cleaning of sensitive parts and medical devices.

1.3 Details of the supplier of the safety data sheet

Supplier
Elma Schmidbauer GmbH
Gottlieb-Daimler-Str. 17
D-78224 Singen (Htwl.)
Telephone +49 7731 882-0
Telefax +49 7731 882-266
E-mail info@elma-ultrasonic.com
Website www.elma-ultrasonic.com

Department responsible for information:
Chemie/Labor: Email: chemlab@elma-ultrasonic.com

* 1.4 Emergency telephone number

Vergiftungs-Informations-Zentrale Freiburg (Sprache/Language: DE, EN) +49 761 19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]	Classification procedure
Eye Irrit. 2, H319	Expert judgement and weight of evidence determination.

Hazard statements for health hazards
H319 Causes serious eye irritation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP]

Hazard pictograms



GHS07

Signal word
Warning

Hazard statements
H319 Causes serious eye irritation.

Precautionary statements
P261 Avoid breathing mist/spray.
P280 Wear eye protection.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 If eye irritation persists: Get medical advice/attention.
P301 + P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

Other labelling
Labelling for contents according to regulation (EC) No. 648/2004:
5 - 15% anionic surfactants
5 - 15% non-ionic surfactants
< 5% phosphates
< 5% polycarboxylates

2.3 Other hazards

Adverse human health effects and symptoms
Acute Tox. 5 (inhalation) H333: May be harmful if inhaled.
Inhalation of spray may be harmful.
This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

Adverse environmental effects
Aquatic Acute 2 H401: Toxic to aquatic life.
This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

* **Results of PBT and vPvB assessment**
The product does not contain any PBT-/vPvB-substances according to the recipe.
The product does not contain any PMT-/vPvM-substances according to the recipe.

SECTION 3: Composition / information on ingredients

3.1 Substances

not applicable

3.2 Mixtures

Hazardous ingredients

CAS No	EC No	Index No	Substance name	Concentration	Classification according to Regulation (EC) No 1272/2008 [CLP]	SCL/ M/ ATE
69011-36-5	931-138-8		isotridecanol, ethoxylated	5 - 15 weight-%	Acute Tox. 4; H302 Eye Dam. 1; H318	Eye Dam. 1;H318: C>10% Eye Irrit. 2;H319: 1%<C<=10% ATE(oral): 500 mg/kg
166736-08-9			C10- fatty alcohol, alkoxylated	< 5 weight-%	Acute Tox. 4; H302 Eye Dam. 1; H318	ATE(oral): 500 mg/kg
15763-76-5	239-854-6		sodium cumenesulphonate	< 5 weight-%	Eye Irrit. 2; H319	
164524-02-1	629-764-9		potassium cumenesulphonate	< 5 weight-%	Eye Irrit. 2; H319	

CAS No	EC No	Index No	Substance name	Concentration	Classification according to Regulation (EC) No 1272/2008 [CLP]	SCL/ M/ ATE
27458-92-0	248-469-2		isotridecanol	< 0.2 weight-%	Skin Irrit. 2; H315 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	M=1 (Aquatic Acute 1) M=1 (Aquatic Chronic 1)

REACH No.	Substance name
Not relevant (polymer).	isotridecanol, ethoxylated
01-2119489411-37	sodium cumenesulphonate
01-2119489427-24	potassium cumenesulphonate
Not relevant (polymer).	C10- fatty alcohol, alkoxylated
Not relevant (impurity).	isotridecanol

Additional information
Aqueous neutral foam-inhibited mixture of anionic and non-ionic surfactants, complexing agents and phosphates.

SECTION 4: First aid measures

4.1 Description of first aid measures

Following inhalation
Provide fresh air.
In the event of symptoms refer for medical treatment.

Following skin contact
In case of contact with skin wash off with water.
In case of skin irritation, consult a physician.

After eye contact
After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Following ingestion
If swallowed seek medical advice immediately and show the doctor packing or label.
Rinse mouth immediately and drink plenty of water.
Medical treatment necessary.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms
No further informations available.

4.3 Indication of any immediate medical attention and special treatment needed

Notes for the doctor
No further informations available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media
Water
Foam
Extinguishing powder
Carbon dioxide (CO2)

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products
In case of fire formation of dangerous gases possible.
In the event of fire the following can be released:
Carbon monoxide
Phosphorus oxides
Sulphur oxides

5.3 Advice for firefighters

Special protective equipment for firefighters
Do not inhale explosion and combustion gases.

Additional information
Co-ordinate fire-fighting measures to the fire surroundings.
The product itself does not burn.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel
Use personal protection equipment.
Special danger of slipping by leaking/spilling product.

For emergency responders
Personal protection equipment
Use personal protection.
Forms slippery surfaces with water.
Special danger of slipping by leaking/spilling product.

6.2 Environmental precautions

Do not allow to enter into surface water or drains.

6.3 Methods and material for containment and cleaning up

For containment
Suitable material for taking up:
Sand
Sawdust
Universal binder
Kieselguhr
Flush away residues with water.
After taking up the material dispose according to regulation.

6.4 Reference to other sections

Safe handling: see section 7
Personal protection equipment: see section 8

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Protective measures
Handle and open container with care.
Take the usual precautions when handling with chemicals.
Do not inhale aerosols
Avoid contact with eyes and skin.
The product is not combustible.

Advices on general occupational hygiene
Make available sufficient washing facilities
Keep away from food and drink.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels
Keep only in unopened original container.

Further information on storage conditions
Keep locked up and out of reach of children.
Protect from heat and direct solar radiation.
Do not keep at temperatures below 5°C.
Do not keep at temperatures above 30°C.
Storage time: 3 years.

7.3 Specific end use(s)

Recommendation
Do not use the product itself for injecting or spraying. Use only the diluted application solution for splash cleaning.

* SECTION 8: Exposure controls/personal protection

* 8.1 Control parameters

DNEL worker

CAS No	Substance name	DNEL value	DNEL type	Remark
15763-76-5	sodium cumenesulphonate	191 mg/kg bw/day	long-term dermal (systemic)	Assessment factor 100
15763-76-5	sodium cumenesulphonate	37.4 mg/m³	long-term inhalative (systemic)	Assessment factor 25
164524-02-1	potassium cumenesulphonate	191 mg/kg bw/day	long-term dermal (systemic)	Assessment factor 100
164524-02-1	potassium cumenesulphonate	37.4 mg/m³	long-term inhalative (systemic)	Assessment factor 25

* **PNEC**

CAS No	Substance name	PNEC Value	PNEC type	Remark
15763-76-5	sodium cumenesulphonate	0.1 mg/L	aquatic, freshwater	Assessment factor 1000
15763-76-5	sodium cumenesulphonate	100 mg/L	sewage treatment plant (STP)	Assessment factor 10
164524-02-1	potassium cumenesulphonate	0.1 mg/L	sediment, freshwater	Assessment factor 1000
164524-02-1	potassium cumenesulphonate	100 mg/L	sewage treatment plant (STP)	Assessment factor 10

8.2 Exposure controls

Appropriate engineering controls

Technical measures to prevent exposure
Technical exhaustion in case of longtermed exposition in sprayed aerosols.

Personal protection equipment

Eye/face protection
tightly fitting goggles

Environmental exposure controls

Technical measures to prevent exposure
Avoid penetration into the subsoil/soil.
Do not discharge into surface waters.

Additional information
Occupational exposure limits: No relevant informations available.

* SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state
liquid

Colour
yellowish

Odour
characteristic

Safety relevant basis data

	Value	Method	Source, Remark
Odour threshold:			not determined
Melting point/freezing point			not determined
Boiling point or initial boiling point and boiling range	≥ 100 °C		
flammability	solid		not applicable
flammability	gaseous		not applicable
Lower and upper explosion limit	Upper explosion limit		not relevant
Lower and upper explosion limit	Lower explosion limit		not relevant
Flash point			No flash point up to 100 °C.
Auto-ignition temperature	230 °C		Value of isotridecanol.
Decomposition temperature	≥ 100 °C		
pH	in delivery state approx. 7.1		
Viscosity	dynamic 6.4 mPa*s (20°C)		
Viscosity	kinematic 6 mm²/s (20°C)	calculated.	
Solubility(ies)	Water solubility		miscible
Partition coefficient n-octanol/water (log value)	-1.1		Value of sodium cumenesulphonate.
Vapour pressure	approx. 23 hPa (20°C)		
Density and/or relative density	1.059 g/cm³		
Relative vapour density	0.62		Value of Water.
particle characteristics			not applicable (liquid).

* 9.2 Other information

*** Information with regard to physical hazard classes**

Explosives

Assessment/classification
The mixture does not contain any explosive substances (CLP I 2.1.4.3 a).
CLP I 2.1.4.3 a: The classification procedure needs not to be applied because there are no chemical groups present in the molecule which are associated with explosive properties.

flammable gases

Assessment/classification
not applicable (liquid).

Aerosols

Assessment/classification
not relevant - no aerosol.
The classification criteria for this hazard class are not met by definition.

Oxidising gas

Assessment/classification
not applicable (liquid).

Gases under pressure

Assessment/classification
not applicable (liquid - no dissolved gas).

flammable liquids

Assessment/classification
not flammable, not combustible (No flash point below 100°C).

flammable solids

Assessment/classification
not applicable (liquid).

Self-reactive substances and mixtures

Assessment/classification
The mixture does not contain any self-reactive substances (CLP I 2.8.4.2 a).
CLP I 2.8.4.2 a: There are no chemical groups present in the molecule associated with explosive or self reactive properties.

Pyrophoric liquids

Assessment/classification
The mixture does not contain any pyrophoric substances - not spontaneously flammable (CLP I 2.9.4.1).
CLP I 2.9.4.1: The classification procedure for pyrophoric liquids need not be applied when experience in manufacture or handling shows that the substance or mixture does not ignite spontaneously on coming into contact with air at normal temperatures (i.e. the substance is known to be stable at room temperature for prolonged periods of time (days)).

Pyrophoric solids

Assessment/classification
not applicable (liquid).

self-heating substances and mixtures

Assessment/classification
The mixture does not contain any self-heating substances.

Substances or mixtures which, in contact with water, emit flammable gases

Assessment/classification
not relevant - in contact with water releases no flammable gases (CLP I 2.12.4.1).
CLP I 2.12.4.1: The classification procedure for this class need not be applied if: (a) the chemical structure of the substance or mixture does not contain metals or metalloids; or (b) experience in production or handling shows that the substance or mixture does not react with water, e.g. the substance is manufactured with water or washed with water; or (c) the substance or mixture is known to be soluble in water to form a stable mixture.

Oxidising liquids

Assessment/classification
The mixture does not contain any oxidising substances.

Oxidising solids

Assessment/classification
not applicable (liquid).

Organic peroxides

Assessment/classification
The mixture does not contain any organic peroxides.

* **Corrosive to metals**

* **Assessment/classification**
The mixture does not contain any substances corrosive to metals.
Based on available data, the classification criteria are not met.

Desensitised explosives

Assessment/classification
The mixture does not contain any desensitised explosive substances.

Other safety characteristics

	Value	Method	Source, Remark
Evaporation rate			Water: 0.36 (ASTM D3539).
Solvent content	0 %		
Explosive properties			none
Oxidising properties			none

* **Other information**
No further relevant informations available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazardous reactions known if used as directed.

10.2 Chemical stability

Stable at ambient temperature.

10.3 Possibility of hazardous reactions

No hazardous reactions known.

10.4 Conditions to avoid

Heat and direct solar radiation.

10.5 Incompatible materials

No hazardous reactions known.

10.6 Hazardous decomposition products

No decomposition if used as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Animal data

	Effective dose	Method,Evaluation	Source, Remark
Acute oral toxicity	5092 mg/kg	ATE: Acute Toxicity Estimate	
	CAS No69011-36-5 isotridecanol, ethoxylated 500 mg/kg	ATE: Acute Toxicity Estimate	
	CAS No166736-08-9 C10-fatty alcohol, alkoxylated LD50: 500 mg/kg	ATE: Acute Toxicity Estimate	
Acute dermal toxicity	> 5000 mg/kg	ATE: Acute Toxicity Estimate	
Acute inhalation toxicity	Acute inhalation toxicity (dust/mist) 7.3 mg/L	ATE: Acute Toxicity Estimate	
	Acute inhalation toxicity (vapour)		not relevant

Assessment/classification
May be harmful if inhaled.

Skin corrosion/irritation

Animal data

Result / Evaluation	Method	Source, Remark
non-irritant.	Calculation method.	

Serious eye damage/irritation

Animal data

Result / Evaluation	Method	Source, Remark
Irritant.	Expert judgement and weight of evidence determination.	

Sensitisation to the respiratory tract

Assessment/classification
Based on available data, the classification criteria are not met.

Skin sensitisation

Animal data

Result / Evaluation	Dose / Concentration	Method	Source, Remark
The mixture is not classified as skin sensitiser.		Calculation method.	

Germ cell mutagenicity

Assessment/classification
Based on available data, the classification criteria are not met.

Carcinogenicity

Assessment/classification
Based on available data, the classification criteria are not met.

Reproductive toxicity

Assessment/classification
Based on available data, the classification criteria are not met.

Overall Assessment on CMR properties

The mixture is not classified as mutagen / not classified as carcinogen / not classified as reproductive toxicant.

STOT-single exposure

STOT SE 1 and 2

Assessment/classification
The mixture is not classified as specific target organ toxicant (single exposure).
Based on available data, the classification criteria are not met.

STOT SE 3

Irritation to respiratory tract

Assessment/classification
Based on available data, the classification criteria are not met.

Narcotic effects

Assessment/classification
Based on available data, the classification criteria are not met.

STOT-repeated exposure

Assessment/classification
The mixture is not classified as specific target organ toxicant (repeated exposure).
Based on available data, the classification criteria are not met.

Aspiration hazard

Assessment/classification
The mixture is not classified as aspiration hazardous.
Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Information on other hazards

	Effective dose	Method,Evaluation	Source, Remark
Endocrine disrupting properties			This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

Other information

OECD 437: not serious eye damaging.
Has degreasing effect on the skin.

* SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity

	Effective dose	Method,Evaluation	Source, Remark
Acute (short-term) fish toxicity	LC50: 8.9 mg/L	calculated.	
	CAS No27458-92-0 isotridecanol LC50: 0.55 mg/L Species Danio rerio (zebrafish) Test duration 96 h	OECD 203	

	Effective dose	Method,Evaluation	Source, Remark
	CAS No166736-08-9 C10-fatty alcohol, alkoxylated LC50: >10- 100 mg/L Species Danio rerio (zebrafish) Test duration 96 h	OECD 203	
	CAS No69011-36-5 isotridecanol, ethoxylated LC50: >1- 10 mg/L Species Cyprinus carpio (Common Carp) Test duration 96 h	OECD 203	
Chronic (long-term) fish toxicity	CAS No69011-36-5 isotridecanol, ethoxylated NOEC 1.73 mg/L	QSAR	
Acute (short-term) toxicity to crustacea	EC50 7.4 mg/L	calculated.	
	CAS No27458-92-0 isotridecanol EC50 0.391 mg/L Species Daphnia magna (Big water flea) Test duration 48 h	OECD 202	
	CAS No166736-08-9 C10-fatty alcohol, alkoxylated EC50 >1- 10 mg/L Species Daphnia magna (Big water flea) Test duration 48 h	OECD 202	
	CAS No69011-36-5 isotridecanol, ethoxylated EC50 >1- 10 mg/L Species Daphnia magna (Big water flea) Test duration 48 h	OECD 202	
Chronic (long-term) toxicity to aquatic invertebrate	CAS No27458-92-0 isotridecanol NOEC 0.0036 mg/L Species Daphnia magna (Big water flea) Test duration 21 d	OECD 211	
	CAS No69011-36-5 isotridecanol, ethoxylated EC10 2.6 mg/L Species Daphnia magna (Big water flea) Test duration 21 d	OECD 211	
Acute (short-term) toxicity to algae and cyanobacteria	EC50 8.7 mg/L	calculated.	
	CAS No27458-92-0 isotridecanol EC50 0.297 mg/L Species Desmodesmus subspicatus Test duration 72 h	OECD 201	
	CAS No166736-08-9 C10-fatty alcohol, alkoxylated EC50 >10- 100 mg/L Species Scenedesmus subspicatus Test duration 72 h		

	Effective dose	Method,Evaluation	Source, Remark
	CAS No69011-36-5 isotridecanol, ethoxylated EC50 >1- 10 mg/L Species Scenedesmus subspicatus Test duration 72 h	OECD 201	
Chronic (long-term) toxicity to aquatic algae and cyanobacteria	CAS No69011-36-5 isotridecanol, ethoxylated EC10: >1- 10 mg/L Species Desmodesmus subspicatus Test duration 72 h	OECD 201	
Toxicity to other aquatic plants/organisms	not determined		
Toxicity to microorganisms	not determined		

Assessment/classification
Toxic to aquatic life.

12.2 Persistence and degradability

	Value	Method	Source, Remark
Biodegradation	Degradation rate > 80 %	calculated.	DOC reduction Readily biodegradable (according to OECD criteria).
Biodegradation	Degradation rate > 60 % Test duration 28 d	OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C	CAS No69011-36-5 isotridecanol, ethoxylated
Biodegradation	Degradation rate > 60 % Test duration 28 d	OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C	CAS No166736-08-9 C10-fatty alcohol, alkoxylated
Biodegradation	Degradation rate 90- 100 % Test duration 28 d	OECD 301F/ ISO 9408/ EEC 92/69/V, C.4-D	CAS No27458-92-0 isotridecanol
Biodegradation	Degradation rate 99 % Test duration 28 d	OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C	CAS No15763-76-5 sodium cumenesulphonate
Biodegradation	Degradation rate > 60 % Test duration 28 d	OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C	CAS No164524-02-1 potassium cumenesulphonate

12.3 Bioaccumulative potential

Assessment/classification
isotridecanol, ethoxylated: Bioaccumulation is improbable.
C10- fatty alcohol, alkoxylated: Accumulation in organisms is not expected.
sodium cumenesulphonate: Bioaccumulation is improbable.
potassium cumenesulphonate: Bioaccumulation is improbable.
isotridecanol: Has the potential to bioaccumulate (log Pow: 5.57).

12.4 Mobility in soil

Assessment/classification
isotridecanol, ethoxylated: Koc: >5000, strong adsorption on soil, immobile.
C10- fatty alcohol, alkoxylated: Adsorption on soil is possible.
sodium cumenesulphonate: Adsorption on soil is not expected.
potassium cumenesulphonate: Adsorption on soil is not expected.
isotridecanol: Adsorption on soil is possible (Koc: 1122).

*** 12.5 Results of PBT and vPvB assessment**

The product does not contain any PBT-/vPvB-substances according to the recipe.
The product does not contain any PMT-/vPvM-substances according to the recipe.

12.6 Endocrine disrupting properties

	Effective dose	Method,Evaluation	Source, Remark
Endocrine disrupting properties			This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7 Other adverse effects

	Value	Method	Source, Remark
Ozone depletion potential (ODP):			Based on available data, the classification criteria are not met.

Additional ecotoxicological information

	Value	Method	Source, Remark
Chemical oyxgen demand (COD)	approx. 448 mgO2/g	calculated.	
AOX			The product does not contain any organically bound halogens according to the recipe.

Additional information
The surfactants in our product meet the criteria for biodegradation as laid down in Annex III of the Regulation (EC) No 648/2004 on detergents.
Acute aquatic environmental hazards: Aquatic Acute 2 H401: Toxic to aquatic life.
The mixture is not classified as chronic hazardous to the aquatic environment.
Do not allow uncontrolled discharge of product into the environment.
No further relevant informations available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste codes/waste designations according to EWC/AVV

Waste code product	Waste name
200130	detergents other than those mentioned in 20 01 29

Appropriate disposal / Product
Do not dispose with household waste. Do not discharge into the drains.
Dispose of waste according to applicable legislation.

Appropriate disposal / Package
Non-contaminated packages may be recycled.

Other disposal recommendations
Application solution / cleaning solution :
Product is allowed to discharge into sewage treatment plants, but in accordance with official regulations.

SECTION 14: Transport information

	Land transport (ADR/RID)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1 UN number or ID number	-	-	-
14.2 UN proper shipping name	-	-	-
14.3 Transport hazard class(es)	-	-	-
14.4 Packing group	-	-	-
14.5 Environmental hazards	-	-	-

14.6 Special precautions for user

none

14.7 Maritime transport in bulk according to IMO instruments

not relevant

Land transport (ADR/RID)

Remark
Not classified for this transport carrier.

Sea transport (IMDG)

Remark
No hazardous material as defined by the prescriptions.

Air transport (ICAO-TI / IATA-DGR)

Remark
No hazardous material as defined by the prescriptions.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Authorisations
not relevant

Restrictions on use
Regulation (EC) No 1907/2006 (REACH), Annex XVII No 3 - not relevant if used as directed.
Regulation (EC) No 1907/2006 (REACH), Annex XVII No 75 - not relevant if used as directed.

Restrictions of occupation
Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

Other regulations (EU)

To follow:
Regulation (EC) No. 648/2004 (Detergents regulation)
Directive 2012/18/EU, Annex I: not mentioned.

Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive] VOC
VOC content, delivery state 0 %

15.2 Chemical Safety Assessment

National regulations

For this mixture a chemical safety assessment were not carried out.

* SECTION 16: Other information

*

Abbreviations and acronyms
For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
ASTM: American Society for Testing and Materials
ATE: Acute Toxicity Estimate
AVV: Waste Shipment Ordinance (DE)
DGR: Dangerous Goods Regulations (IATA)
DNEL: derived no-effect level
DOC: Dissolved Organic Carbon
IATA: International Air Transport Association
ICAO: International Civil Aviation Organization
IMDG: International Maritime Dangerous Goods
IMO: International Maritime Organization
JArbSchG: Youth Labor Protection Act (DE)
OECD: Organisation for Economic Cooperation and Development
PBT: persistent and bioaccumulative and toxic
PNEC: Predicted No Effect Concentration
RID: Dangerous goods regulations for transport by rail
SCL: Specific concentration limit
TI: Technical Instruction
VOC: Volatile organic compounds
vPvB: very persistent, very bioaccumulative
Acute Tox. 4, H302: Acute Toxicity (oral), Category 4
Skin Irrit. 2: Skin irritation, Category 2
Eye Dam. 1: Serious eye damage, Category 1
Eye Irrit. 2: Eye irritation, Category 2
Aquatic Acute 1: Short-term (acute) aquatic hazard, Category 1
Aquatic Chronic 1: Long-term (chronic) aquatic hazard, Category 1

Key literature references and sources for data
Own measurements.
European Chemicals Agency, https://echa.europa.eu/.
Informations from our suppliers.

Additional information
National and local regulations concerning chemicals shall be observed.
These data are given according to our actual knowledge about this product.This data sheet does not correspond to an assurance by virtue of a contract for properties of the product.

Relevant H- and EUH-phrases (Number and full text)

H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Indication of changes
* Data changed compared with the previous version