

EC 35

Print date Revision date Version replaces version of 21.09.2022 26.08.2022 2.1 (en) 14.01.2020 (2.0)

* SECTION 1: Identification of the substance/mixture and of the company/undertaking

* 1.1 Product identifier

Trade name/designation	EC 35
Unique Formula Identifier	UFI:0F00-Q072-G00V-4D36
Product category	PC-CLN-15.OTH Other cleaners for specific personal items

1.2 Relevant identified uses of the substance or mixture and uses advised against

Sector of uses [SU]

SU20 Health services SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen) SU3 Industrial uses

Use of the substance/mixture

Liquid, mildly acidic cleaning concentrate for the daily ultrasonic cleaning of dental prostheses.

1.3 Details of the supplier of the safety data sheet

Supplier

Elma Schmidbauer GmbH Gottlieb-Daimler-Str. 17 D-78224 Singen (Htwl.) Telephone +49`7731'882-0 Telefax +49 7731 882-266 E-mail info@elma-ultrasonic.com

Department responsible for information: Chemie/Labor: Email: chemlab@elma-ultrasonic.com Website www.elma-ultrasonic.com

* 1.4 Emergency telephone number

Vergiftungs-Informations-Zentrale Freiburg (Sprache/Language: DE, +49 761 19240 EN)

SECTION 2: Hazards identification *

2.1 Classification of the substance or mixture

Classification according to Classification procedure Regulation (EC) No 1272/2008 [CLP] Aquatic Chronic 3, H412 Calculation method.

Hazard statements for environmental hazards H412 Harmful to aquatic life with long lasting effects.

Remark

Classification procedure for serious eye damage/eye irritation: Bridging principle ' Substantially similar mixtures.'

* 2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard statements

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P102 Keep out of reach of children. P273 Avoid release to the environment. P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P312 Call a POISON CENTER/doctor if you feel unwell.



EC 35

Print date Revision date Version replaces version of 21.09.2022 26.08.2022 2.1 (en) 14.01.2020 (2.0)

Other labelling Labelling for contents according to regulation (EC) No. 648/2004:

< 5% anionic surfactants < 5% amphoteric surfactants

< 5% oxygen-based bleaching agents

perfumes

* 2.3 Other hazards

*

Adverse human health effects and symptoms This product contains a substance that has endocrine disrupting properties with respect to humans.

* Adverse environmental effects

Aquatic Acute 3 H402: Harmful to aquatic life. This product contains a substance that has endocrine disrupting properties with respect to non-target organisms.

Results of PBT and vPvB assessment The product does not contain any PBT-/vPvB-substances according to the recipe.

* SECTION 3: Composition / information on ingredients

3.1 Substances

not applicable

* 3.2 Mixtures

Hazardous in	ngredients				
CAS No.	EC No.	Substance name	Concentration	Classification according to Regulation (EC) No 1272/2008 [CLP]	SCL/ M/ ATE
85586-07-8	287-809-4	Sulfuric acid, mono-C12-14- alkyl esters, sodium salts	< 5 weight-%	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 3; H412	Eye Dam. 1;H318: C>=20% Eye Irrit. 2;H319: 10%<=C<20%
67-63-0	200-661-7	propan-2-ol	< 5 weight-%	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336	



EC 35

Print date
Revision date
Version
replaces versi

21.09.2022 26.08.2022

2.1 (en) 14.01.2020 (2.0)

			replaces version of 14.01.	1) 2020 (2.0)	
CAS No.	EC No.	Substance name	Concentration	Classification according to Regulation (EC) No 1272/2008 [CLP]	SCL/ M/ ATE
79-21-0	201-186-8	peracetic acid%	< 1 weight-%	Flam. Liq. 3; H226 Org. Perox. D ; H242 Met. Corr. 1 ; H290 Acute Tox. 3 ; H301 Acute Tox. 2; H310 Acute Tox. 2; H310 Skin Corr. 1A; H314 Eye Dam. 1; H318 STOT SE 3; H335 Aquatic Acute 1; H400 Aquatic Chronic 1; H410; EUH071	Skin Corr. 1A;H314: C>>=10% Skin Corr. 1B;H314: 5%<=C<10% Skin Corr. 1C;H314: 3%<=C<5% Skin Irrit. 2;H315: 1%<=C<3% Eye Dam. 1;H318: C>=3% Eye Irrit. 2;H319: 1%<=C<3% STOT SE 3;H335: C>=1%
					M=10 (Aquatic Acute 1) M=10 (Aquatic Chronic 1) ATE(oral): 70 mg/kg ATE(dermal): 56.1 mg/kg ATE(inhalation dust/mist): 0.204 mg/L

REACH No.	Substance name
01-2119457558-25	propan-2-ol
01-2119489463-28	Sulfuric acid, mono-C12-14-alkyl esters, sodium salts
01-2119531330-56	peracetic acid%

Additional information

Aqueous, mildly acid mixture with anionic and amphoteric surfactants, organic acid and salts, oxygen developing compound, dyestuff and perfumes.

Remark

Mildly acid cleaning concentrate for metallic and plastic dental plates and prosthetics with hygienically refreshing action based on active oxygen.

SECTION 4: First aid measures

4.1 Description of first aid measures

After eye contact After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Following ingestion Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. In the event of persistent symptoms receive medical teatment.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms

No further informations available.



EC 35

Print date Revision date Version replaces version of

21.09.2022 26.08.2022 2.1 (en) 14.01.2020 (2.0)

4.3 Indication of any immediate medical attention and special treatment needed

Notes for the doctor

No further informations available.

* SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Water alcohol resistant foam Carbon dioxide (CO2)

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products In case of fire formation of dangerous gases possible. In the event of fire the following can be released: Nitrogen oxides (NOx) Carbon monoxide Sulphur dioxide (SO2)

* 5.3 Advice for firefighters

Special protective equipment for firefighters Do not inhale explosion and combustion gases.

* Additional information

Co-ordinate fire-fighting measures to the fire surroundings. The product itself does not burn.

* SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Use personal protection equipment. Special danger of slipping by leaking/spilling product.

6.2 Environmental precautions

Do not allow to enter into surface water or drains.

6.3 Methods and material for containment and cleaning up

For containment Suitable material for taking up: Sand Sawdust Universal binder Kieselguhr Flush away residues with water.

* 6.4 Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8



EC 35

Print date Revision date Version replaces version of

21.09.2022 26.08.2022 2.1 (en) 14.01.2020 (2.0)

* SECTION 7: Handling and storage

* 7.1 Precautions for safe handling

Protective measures

Handle and open container with care. Avoid contact with eyes and skin. The product is not combustible.

Advices on general occupational hygiene Keep away from food and drink.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels Keep/Store only in original container. Container should not be closed gas-tight.

Storage class

12 non-combustible liquids that cannot be assigned to any of the above storage classes

Further information on storage conditions Keep locked up and out of reach of children. Protect from heat and direct solar radiation. Keep cool. Store in a dark place. Do not keep at temperatures below -5°C Do not keep at temperatures above 35°C. The blue color of the product may become weaker with long storage - this does not change the functional properties of the product. Storage time: 12 months.

7.3 Specific end use(s)

Recommendation

no further

* SECTION 8: Exposure controls/personal protection

* 8.1 Control parameters

Occupational exposure limit values

•	•		
CAS No.	EC No.	Substance name	occupational exposure limit value
67-63-0	200-661-7	Propan-2-ol	200 [ml/m³(ppm)] Short-term(ml/m³) 400 (1) (1) 15 minutes reference period (IE)
67-63-0	200-661-7	Propan-2-ol	400 [ml/m³(ppm)] 999 [mg/m³] Short-term(ml/m³) 500 Short-term(mg/m³) 1250 (UK)
79-21-0	201-186-8	Peracetic acid	Short-term(ml/m³) 0,4 (1)(2) (1) Inhalable fraction (2) 15 minutes average value (IE)

DNEL worker

CAS No.	Substance name	DNEL value	DNEL type	Remark
67-63-0	propan-2-ol	500 mg/m³	long-term inhalative (systemic)	Assessment factor 1
67-63-0	propan-2-ol	888 mg/kg bw/day	long-term dermal (systemic) Assessment factor 1
79-21-0	peracetic acid%	0.56 mg/m³	long-term inhalative (systemic)	Assessment factor 30
85586-07-8	Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	285 mg/m³	long-term inhalative (systemic)	Assessment factor 3



EC 35

		Print date Revision da Version replaces ve		21.09.2022 26.08.2022 2.1 (en) 14.01.2020 (2.0)	
Substance name	e	DNEL value	DN	EL type	Remark	
Sulfuric acid, mo esters, sodium s	ono-C12-14-alkyl alts	4060 mg/kg	lonę	g-term dermal (sys	temic) Assessment fac	ctor 12
Substance name	e	PNEC Value	PNEC tv	pe	Remark	

PNEC

CAS No.

85586-07-8

CAS No.	Substance name	PNEC Value	PNEC type	Remark
79-21-0	peracetic acid%	0.051 mg/L	sewage treatment plant (STP)	Assessment factor 100
85586-07-8	Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	0.131 mg/L	aquatic, freshwater	Assessment factor 1
85586-07-8	Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	1.35 mg/L	sewage treatment plant (STP)	Assessment factor 100

8.2 Exposure controls

Personal protection equipment

Eye/face protection

safety goggles

Environmental exposure controls

Technical measures to prevent exposure Avoid penetration into the subsoil/soil. Do not discharge into surface waters.

* SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Colour blue

Odour

Peppermintlike

Safety relevant basis data

	Value	Method	Source, Remark
Odour threshold:			propan-2-ol: 2.5 - 490 mg/m3 (1 - 196 ppm).
Melting point/freezing point	solidifying range ≤ -5 °C		
Boiling point or initial boiling point and boiling range	approx. 100 °C		
flammability	solid		not applicable
flammability	gaseous		not applicable
Lower and upper explosion limit	Upper explosion limit 12 Vol-%		Value of propan-2-ol.
Lower and upper explosion limit	Lower explosion limit 2 Vol-%		Value of propan-2-ol.
Flash point	57.5 °C	DIN EN ISO 13736	Does not maintain the combustion.
Auto-ignition temperature	200 °C		Value of peracetic acid.
Decomposition temperature			not determined
рН	in delivery state 4- 5 (20°C)		



EC 35 Print date

Revision date Version replaces version of 21.09.2022 26.08.2022 2.1 (en) 14.01.2020

0 (2.0)	

			14.01.2020 (2.0)	
	Value	Method		Source, Remark
Viscosity				not determined
Solubility(ies)	Water solubility			miscible
Partition coefficient n-octanol/water (log value)	0.78			Value of sulfuric acid, mono-C12-14-alkyl esters sodium salts.
Vapour pressure	approx. 23 hPa (2	20°C)		
Density and/or relative density	1.029 g/cm³ (20°0	C)		
Relative vapour density	2.07			Value of propan-2-ol.
particle characteristics				not applicable (liquid).
9.2 Other information				
Information with regard to physical haz	ard classes			
Explosives				
Assessment/classification The mixture does not contain any ex	plosive substance	S.		
flammable gases				
Assessment/classification not applicable (liquid).				
Aerosols				
Assessment/classification not relevant - no aerosol. The classification criteria for this haz	ard class are not r	net by definition.		
Oxidising gas				
Assessment/classification not applicable (liquid).				
Gases under pressure				
Assessment/classification not applicable (liquid, no dissolved g	as under pressure).		
flammable liquids				
Assessment/classification Flash point > 35 °C, does not mainta The mixture is not classified as flam				

flammable solids *

- Assessment/classification not applicable (liquid).
- * Self-reactive substances and mixtures

Assessment/classification The mixture does not contain any self-reactive substances.

Pyrophoric liquids

Assessment/classification

The mixture does not contain any pyrophoric substances - not spontaneously flammable (CLP I 2.9.4.1). CLP I 2.9.4.1: The classification procedure for pyrophoric liquids need not be applied when experience in manufacture or handling shows that the substance or mixture does not ignite spontaneously on coming into contact with air at normal temperatures (i.e. the substance is known to be stable at room temperature for prolonged periods of time (days)).



EC 35

Print date Revision date Version replaces version of

21.09.2022 26.08.2022 2.1 (en) 14.01.2020 (2.0)

* Pyrophoric solids

Assessment/classification not applicable (liquid).

* self-heating substances and mixtures

- Assessment/classification
 - The mixture does not contain any self-heating substances.

* Substances or mixtures which, in contact with water, emit flammable gases

* Assessment/classification

not relevant - in contact with water releases no flammable gases (CLP I 2.12.4.1). CLP I 2.12.4.1: The classification procedure for this class need not be applied if: (a) the chemical structure of the substance or mixture does not contain metals or metalloids; or (b) experience in production or handling shows that the substance or mixture does not react with water, e.g. the substance is manufactured with water or washed with water; or (c) the substance or mixture is known to be soluble in water to form a stable mixture.

* Oxidising liquids

* Assessment/classification

not applicable (contains organic peroxides).

* Oxidising solids

Assessment/classification not applicable (liquid).

* Organic peroxides

Assessment/classification

The mixture contains < 1,0 % available oxygen from the organic peroxides and \leq 1,0 % hydrogen peroxide.

* Corrosive to metals

Safety characteristics

	Value	Method, Result	Source, Remark
Corrosion rate (mm aluminium/year)	< 6.25 mm/a	Expert judgement and weight of evidence determination.	
Corrosion rate (mm steel/year)	< 6.25 mm/a	Expert judgement and weight of evidence determination.	

* Assessment/classification

Based on available data, the classification criteria are not met.

* Desensitised explosives

Assessment/classification

The mixture does not contain any desensitised explosive substances.

Other safety characteristics

	Value	Method	Source, Remark
Evaporation rate			Water: 0.36 (ASTM D3539).
Evaporation rate			propan-2-ol: 1.5 (ASTM D3539) / 11 (DIN 53170) .
Solvent content	< 5 %		
Explosive properties			none
Oxidising properties			none
Other information			

No further relevant informations available.



EC 35

Print date 21.09.2 Revision date 26.08.2 Version 2.1 (en replaces version of 14.01.2

21.09.2022 26.08.2022 2.1 (en) 14.01.2020 (2.0)

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazardous reactions known if used as directed.

10.2 Chemical stability

No decomposition if used as directed within the 12 months storage stability.

10.3 Possibility of hazardous reactions

No hazardous reactions known.

10.4 Conditions to avoid

Heat and direct solar radiation.

10.5 Incompatible materials

Impurities of all kinds. Metal ions, metal salts, metals, alkalies, reducing agents.

10.6 Hazardous decomposition products

no

* SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

* Acute toxicity

* Animal data

Effective dose	Method,Evaluation	Source, Remark
> 5000 mg/kg	ATE: Acute Toxicity Estimate	
CAS No.85586-07-8 Sulfuric acid, mono-C12-14- alkyl esters, sodium salts LD50: 1200 mg/kg Species Rat		
CAS No.79-21-0 peracetic acid% 70 mg/kg	ATE: Acute Toxicity Estimate	
> 5000 mg/kg	ATE: Acute Toxicity Estimate	
CAS No.79-21-0 peracetic acid% LD50: 56.1 mg/kg Species Rabbit		
Acute inhalation toxicity (vapour) > 50 mg/L	ATE: Acute Toxicity Estimate	
Acute inhalation toxicity (dust/mist)		not relevant
CAS No.67-63-0 propan-2- ol Acute inhalation toxicity (vapour) LC50: 72.6 mg/L Species Rat Exposure time 4 h		
	 > 5000 mg/kg CAS No.85586-07-8 Sulfuric acid, mono-C12-14- alkyl esters, sodium salts LD50: 1200 mg/kg Species Rat CAS No.79-21-0 peracetic acid% 70 mg/kg > 5000 mg/kg CAS No.79-21-0 peracetic acid% LD50: 56.1 mg/kg Species Rabbit Acute inhalation toxicity (vapour) > 50 mg/L Acute inhalation toxicity (dust/mist) CAS No.67-63-0 propan-2- ol Acute inhalation toxicity (vapour) LCS0: 72.6 mg/L Species Rat 	 > 5000 mg/kg ATE: Acute Toxicity Estimate CAS No.85586-07-8 Sulfuric acid, mono-C12-14- alkyl esters, sodium salts LD50: 1200 mg/kg Species Rat CAS No.79-21-0 peracetic acid% > 5000 mg/kg > 5000 mg/kg ATE: Acute Toxicity Estimate CAS No.79-21-0 peracetic acid% > 5000 mg/kg ATE: Acute Toxicity Estimate CAS No.79-21-0 peracetic acid% LD50: 56.1 mg/kg Species Rabbit Acute inhalation toxicity (vapour) > 50 mg/L Acute inhalation toxicity (dust/mist) CAS No.67-63-0 propan-2- ol Acute inhalation toxicity (vapour) LC50: 72.6 mg/L Species Rat



EC 35

Print date Revision date Version replaces version of	21.09.2022 26.08.2022 2.1 (en) 14.01.2020 (2.0)	

		Effective dose	Method.Evaluation	Source, Remark
		CAS No.79-21-0 peracetic	weulou, EvalualiUII	Jourde, Nemain
		acid% Acute inhalation toxicity (dust/mist) 0.204 mg/L		
*	Assessment/classification Based on available data, the classif	ïcation criteria are not met.		
* Ski	n corrosion/irritation			
	Animal data			
	Result / Evaluation	Method	Source, Remark	
	non-irritant.	Calculation method		
* Ser	ious eye damage/irritation			
	Animal data			
	Result / Evaluation	Method	Source, Remark	
	slightly irritant	Bridging principle "Substantially simila mixtures".	ır	
* Ser	sitisation to the respiratory tract			
*	Assessment/classification Based on available data, the classif	ication criteria are not met.		
* Ski	n sensitisation			
	Animal data			
	Result / Evaluation	Dose / Concentration	Method	Source, Remark
	The mixture is not classified as skin sensitiser.	I	Calculation method.	
* Ger	m cell mutagenicity			
*	Assessment/classification Based on available data, the classif	ication criteria are not met.		
* Car	cinogenicity			
*	Assessment/classification Based on available data, the classif	ïcation criteria are not met.		
* Rep	productive toxicity			
*	Assessment/classification Based on available data, the classif	ication criteria are not met.		
* Ove	erall Assessment on CMR propertie	S		
	The mixture is not classified as mu	tagen / not classified as carcir	ogen / not classified as repro	ductive toxicant.
* STC	DT-single exposure			
* S1	FOT SE 1 and 2			
*	Assessment/classification The mixture is not classified as spe Based on available data, the classif	cific target organ toxicant (sing ication criteria are not met.	gle exposure).	
* STC	DT-repeated exposure			
*	Assessment/classification The mixture is not classified as spe Based on available data, the classif	cific target organ toxicant (rep ïcation criteria are not met.	eated exposure).	



EC 35 Print date Revision date Version replaces version of

21.09.2022 26.08.2022 2.1 (en) 14.01.2020 (2.0)

Aspiration hazard

Assessment/classification The mixture is not classified as aspiration hazardous. Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Symptoms related to the physical, chemical and toxicological characteristics

	Effective dose	Method, Evaluation	Source, Remark
Endocrine disrupting properties	CAS No.79-21-0 peracetic acid%		The substance is identified as having endocrine disrupting properties.

* Other information

Test on similar mixture (elma clean 35 (EC 35), Batch 0146030246): OECD 405(rabbit): not irritating to eyes.

* SECTION 12: Ecological information

* 12.1 Toxicity

Aquatic toxicity

	Effective dose	Method,Evaluation	Source, Remark
Acute (short-term) fish toxicity	LC50: 15.6 mg/L	calculated.	EqNOEC(Fish): 0,22mg/l.
	CAS No.85586-07-8 Sulfuric acid, mono-C12-14- alkyl esters, sodium salts LC50: 3.6 mg/L Species Oncorhynchus mykiss (Rainbow trout) Test duration 96 h		
	CAS No.79-21-0 peracetic acid% LC50: 0.078 mg/L Species Lepomis macrochirus (Bluegill) Test duration 96 h		
Chronic (long-term) fish toxicity	CAS No.85586-07-8 Sulfuric acid, mono-C12-14- alkyl esters, sodium salts NOEC ≥ 1.357 mg/L Species Pimephales promelas (fathead minnow) Test duration 42 d		
	CAS No.79-21-0 peracetic acid% NOEC 0.00094 mg/L Species Danio rerio (zebrafish) Test duration 33 d		
Acute (short-term) toxicity to crustacea	EC50 41.7 mg/L	calculated.	EqNOEC(Daphnia): >1mg/l.
	CAS No.85586-07-8 Sulfuric acid, mono-C12-14- alkyl esters, sodium salts EC50 4.7 mg/L Species Daphnia magna (Big water flea) Test duration 48 h		
	CAS No.79-21-0 peracetic acid% EC50 0.27 mg/L Test duration 48 h		



EC 35

		Pri Re Ve	C 35 int date evision date ersion places versi		21.09.2022 26.08.2022 2.1 (en) 14.01.2020 (2.0)	
		Effective dose		Method,E	valuation	Source, Remark
	Chronic (long-term) toxicity to aquatic invertebrate	CAS No.85586-07- Sulfuric acid, mono alkyl esters, sodium NOEC 0.14 mg/L S Daphnia magna (B flea) Test duration 21 d	o-C12-14- n salts Species			
		CAS No.79-21-0 pe acid% NOEC 0.012 mg/L Daphnia magna (B flea) Test duration 21 d	Species	OECD 21	1	
	Acute (short-term) toxicity to algae and cyanobacteria	EC50 27.8 mg/L		calculated	1.	EqNOEC(Algae): >1mg/l.
		CAS No.85586-07- Sulfuric acid, mono alkyl esters, sodium EC50 > 20 mg/L Test duration 72 h CAS No.79-21-0 pr acid% EC50 0.16 mg/L Sp Pseudokirchneriella subcapitata	o-C12-14- n salts eracetic pecies			
	Chronic (long-term) toxicity to aquatic algae and cyanobacteria	Test duration 72 h CAS No.85586-07- Sulfuric acid, mono alkyl esters, sodiur NOEC: 0.6 mg/L S Desmodesmus sub Test duration 72 h	o-C12-14- n salts pecies		n (EC) No. , Annex C.3	
		CAS No.79-21-0 pe acid% NOEC: 0.061 mg/L Pseudokirchneriella subcapitata Test duration 72 h	Species			
	Toxicity to other aquatic plants/organisms	not determined				
	Toxicity to microorganisms	not determined				
S	essment/classification					

*

Assessment/classification Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

12.2 Persistence and degradability

	Value	Method	Source, Remark
Biodegradation	Degradation rate > 90 %	calculated.	DOC reduction Readily biodegradable (according to OECD criteria).
Biodegradation	Degradation rate 90- 100 % Test duration 28 d	OECD 301D/ EEC 92/69/V, C.4-E	CAS No.85586-07-8 Sulfuric acid, mono-C12- 14-alkyl esters, sodium salts
Biodegradation	Degradation rate 95 % Test duration 21 d	OECD 301E/ EEC 92/69/V, C.4-B	CAS No.67-63-0 propan-2- ol
Biodegradation	Degradation rate 98 % Test duration 28 d	OECD 301E/ EEC 92/69/V, C.4-B	CAS No.79-21-0 peracetic acid%



EC 35

Print date Revision date Version replaces version of 21.09.2022 26.08.2022 2.1 (en) 14.01.2020 (2.0)

12.3 Bioaccumulative potential

Assessment/classification propan-2-ol: Accumulation in organisms is not expected (log Pow: 0.05). peracetic acid: No bioaccumulation. Sulfuric acid, mono-C12-14-alkyl esters, sodium salts: Accumulation in organisms is not expected (log Pow: 0.78).

12.4 Mobility in soil

Assessment/classification

propan-2-ol: Dissolves in water. Highly mobile in soil. peracetic acid: In soil and waste water rapid decomposition takes place to oxygen and acetic acid. Sulfuric acid, mono-C12-14-alkyl esters, sodium salts: Moderate to strong adsorption on soil (log Koc: 2.5-3.2).

12.5 Results of PBT and vPvB assessment

The product does not contain any PBT-/vPvB-substances according to the recipe.

12.6 Endocrine disrupting properties

	Effective dose	Method,Evaluation	Source, Remark
Endocrine disrupting properties	CAS No.79-21-0 peracetic acid%		The substance is identified as having endocrine disrupting properties.
12.7 Other adverse effects			
	Value	Method	Source, Remark
Ozone depletion potential (ODP):			Based on available data, the classification criteria are not met.
Additional ecotoxicological information	on		
	Value	Method	Source, Remark
Chemical oyxgen demand (COD)	approx. 0.15 gO2/g	calculated.	
AOX			The product does not contain any organically bound halogens according to the recipe.

Additional information

The surfactants in our product meet the criteria for biodegradation as laid down in Annex III of the Regulation (EC) No 648/2004 on detergents.

Acute aquatic environmental hazards: Aquatic Acute 3 H402: Harmful to aquatic life.

Chronic aquatic environmental hazards: Aquatic Chronic 3 H412: Harmful to aquatic life with long lasting effects. No further relevant informations available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste codes/waste designations according to EWC/AVV

Waste code product	Waste name
200129 *	detergents containing hazardous substances

Appropriate disposal / Product Do not dispose with household waste.

Product is allowed to discharge into sewage treatment plants, but in accordance with official regulations.

Appropriate disposal / Package

Non-contaminated packages may be recycled.



EC 35 21.09.2022 26.08.2022 Print date Revision date Version replaces version of

2.1 (en) 14.01.2020 (2.0)

SECTION 14: Transport information

	Land transport (ADR/RID)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA- DGR)
14.1 UN number or ID number	-	-	-
14.2 UN proper shipping name	-	-	-
14.3 Transport hazard class(es)	-	-	-
14.4 Packing group	-	-	-
14.5 Environmental hazards	No	No	No

14.6 Special precautions for user

none

14.7 Maritime transport in bulk according to IMO instruments

not relevant

Land transport (ADR/RID)

Remark

Not classified for this transport carrier.

Sea transport (IMDG)

Remark

No hazardous material as defined by the prescriptions.

Air transport (ICAO-TI / IATA-DGR)

Remark

No hazardous material as defined by the prescriptions.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Authorisations not relevant

Restrictions on use

Regulation (EC) No 1907/2006 (REACH), Annex XVII No 3 + 40 - not relevant if used as directed.

Other regulations (EU)

To follow:

Regulation (EC) No. 648/2004 (Detergents regulation) Directive 2012/18/EU, Annex I: not mentioned.

Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive] VOC VOC content, delivery state 3.4 %

15.2 Chemical Safety Assessment

National regulations

For this mixture a chemical safety assessment were not carried out.



EC 35

Print date Revision date Version replaces version of 21.09.2022 26.08.2022 2.1 (en) 14.01.2020 (2.0)

* SECTION 16: Other information

Abbreviations and acronyms For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations). ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road ASTM: American Society for Testing and Materials ATE: Acute Toxicity Estimate AVV: Waste Shipment Ordinance (DE) DGR: Dangerous Goods Regulations (IATA) DIN: German Institute for Standardization / German Industrial Standard DNEL: derived no-effect level DOC: Dissolved Organic Carbon EN: European Standard IATA: International Air Transport Association ICAO: International Civil Aviation Organization IMDG: International Maritime Dangerous Goods IMO: International Maritime Organization ISO: International Organization for Standardization OECD: Organisation for Economic Cooperation and Development PBT: persistent and bioaccumulative and toxic PNEC: Predicted No Effect Concentration RID: Dangerous goods regulations for transport by rail SCL: Specific concentration limit TI: Technical Instruction VOC: Volatile organic compounds vPvB: very persistent, very bioaccumulative

Key literature references and sources for data

Own measurements. European Chemicals Agency, http://echa.europa.eu/. Informations from our suppliers.

Additional information

National and local regulations concerning chemicals shall be observed. These data are given according to our actual knowledge about this product. This data sheet does not correspond to an assurance by virtue of a contract for properties of the product.

Relevant H- and EUH-phrases (Number and full text)

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H242	Heating may cause a fire.
H290	May be corrosive to metals.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.



EC 35 Print date Revision date Version replaces version of

21.09.2022 26.08.2022 2.1 (en) 14.01.2020 (2.0)

Indication of changes * Data changed compared with the previous version