

elma clean 110 (EC 110)

20.07.2022 18.07.2022 Print date Revision date Version 2.4 (en) 03.02.2020 (2.3) replaces version of

SECTION 1: Identification of the substance/mixture and of the company/undertaking

* 1.1 Product identifier

Trade name/designation elma clean 110 (EC 110) **Unique Formula Identifier** UFI:UV00-70P2-100C-F30H

Product category PC-CLN-OTH Other cleaning, care and maintenance products

(excludes biocidal products)

Hazard components for labelling

sodium hydroxide, alkylpolyglycoside

1.2 Relevant identified uses of the substance or mixture and uses advised against

Sector of uses [SU]

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

SU3 Industrial uses

Use of the substance/mixture

Liquid strong alkaline cleaning concentrate.

Uses advised against

Do not use for injecting or spraying.

1.3 Details of the supplier of the safety data sheet

Supplier

Elma Schmidbauer GmbH Gottlieb-Daimler-Str. 17 D-78224 Singen (Htwl.) Telephone +49 7731 882-0 Telefax: +49 7731 882-266 E-mail info@elma-ultrasonic.com

Department responsible for information: Chemie/Labor: Email: chemlab@elma-ultrasonic.com Website www.elma-ultrasonic.com

* 1.4 Emergency telephone number

Vergiftungs-Informations-Zentrale Freiburg (Sprache/Language: DE, +49 761 19240 EN)

* SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Classification procedure Regulation (EC) No 1272/2008

[CLP]

Met. Corr. 1, H290 Expert judgement and weight of evidence determination.

Skin Corr. 1A, H314 Calculation method. Eye Dam. 1, H318 Calculation method.

Hazard statements for physical hazards

H290 May be corrosive to metals.

Hazard statements for health hazards

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.



elma clean 110 (EC 110)

20.07.2022 18.07.2022 Print date Revision date Version 2.4 (en) 03.02.2020 (2.3) replaces version of

Hazard pictograms



* 2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Signal word

Danger

Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Precautionary statements P405 Store locked up.

P102 Keep out of reach of children.

P234 Keep only in original packaging.

P260 Do not breathe mist/spray.

P280 Wear protective gloves/protective clothing and eye/face protection.
P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a doctor.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P332 + P313 If skin irritation occurs: Get medical advice/attention.

Other labelling

Labelling for contents according to regulation (EC) No. 648/2004:

- < 5% anionic surfactants
- < 5% non-ionic surfactants
- < 5% phosphonates

2.3 Other hazards

Adverse human health effects and symptoms

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

Adverse environmental effects

Aquatic Acute 2 H401: Toxic to aquatic life.

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Results of PBT and vPvB assessment

The product does not contain any PBT-/vPvB-substances according to the recipe.

SECTION 3: Composition / information on ingredients

3.1 Substances

not applicable



elma clean 110 (EC 110)

Print date 20.07.2022 18.07.2022 Revision date Version 2.4 (en) 03.02.2020 (2.3) replaces version of

3.2 Mixtures

iixtai co						
Hazardous i	ngredients					
CAS No.	EC No.	Substance name	Concentration	Classification according to Regulation (EC) No 1272/2008 [CLP]	SCL/ M/ ATE	
1310-73-2	215-185-5	sodium hydroxide	15 - 20 weight-%	Met. Corr. 1; H290 Skin Corr. 1A; H314 Eye Dam. 1; H318	Skin Corr. 1A;H314: C>=5% Skin Corr. 1B;H314: 2%<=C<5% Skin Irrit. 2;H315: 0.5%<=C<2% Eye Irrit. 2;H319: 0.5%<=C<2%	
102-71-6	203-049-8	triethanolamine [2,2',2"- nitrilotriethanol]	< 5 weight-%			
68515-73-1	500-220-1	alkylpolyglycoside	< 5 weight-%	Eye Dam. 1; H318		
REACH No.		Substance name				
01-21194578	92-27	sodium hydroxide				
01-2119486482-31		triethanolamine [2,2',2"-nitrilo	otriethanol]			
01-2119488530-36		alkylpolyglycoside				

Additional information

Aqueous alkaline mixture from anionic and nonionic surfactants, sodium hydroxide, salts of inorganic acids and amines.

* SECTION 4: First aid measures

* 4.1 Description of first aid measures

General information

Remove contaminated, saturated clothing immediately.

Symptoms may develop several hours following exposure; medical observation therefore necessary for at least 48 hours.

Following inhalation

Provide fresh air.

In case of inhaling spray mist, consult a physician.

In the event of symptoms refer for medical treatment.

Following skin contact

In case of contact with skin wash off immediately with plenty of water. In case of skin irritation, consult a physician.

After eye contact

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Following ingestion

Do NOT induce vomiting.

Call a physician immediately.

Rinse mouth immediately and drink plenty of water.

* 4.2 Most important symptoms and effects, both acute and delayed

Effects

Risk of stomach perforation.



elma clean 110 (EC 110)

20.07.2022 18.07.2022 Print date Revision date Version 2.4 (en) 03.02.2020 (2.3) replaces version of

4.3 Indication of any immediate medical attention and special treatment needed

Notes for the doctor

Keep under medical supervision for at least 48 hours.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Foam Carbon dioxide (CO2) Water spray jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products In case of fire formation of dangerous gases possible. In the event of fire the following can be released: Nitrogen oxides (NOx) Carbon monoxide Phosphorus oxides Sulphur oxides

5.3 Advice for firefighters

No data available

Additional information

The product itself does not burn.

Co-ordinate fire-fighting measures to the fire surroundings.

Do not inhale explosion and combustion gases.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Use personal protection equipment.

Special danger of slipping by leaking/spilling product.

For emergency responders

Remove persons to safety. Personal protection equipment Use personal protection. Use breathing apparatus if exposed to vapours/dust/aerosol. Forms slippery surfaces with water. Special danger of slipping by leaking/spilling product.

6.2 Environmental precautions

Do not allow to enter into surface water or drains.

Do not allow to enter into soil/subsoil.

6.3 Methods and material for containment and cleaning up

For containment

Suitable material for taking up:

Sand

Sawdust

Universal binder

Kieselguhr

Flush away residues with water.

Use chemical neutralizers.

After taking up the material dispose according to regulation.



elma clean 110 (EC 110)

20.07.2022 18.07.2022 Print date Revision date Version 2.4 (en) 03.02.2020 (2.3) replaces version of

6.4 Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

* SECTION 7: Handling and storage

7.1 Precautions for safe handling

Protective measures

Avoid:

generation/formation of aerosols Do not inhale aerosols

Handle and open container with care.

Use only alkali-resistant equipment.

When diluting/dissolving, always have the water ready first, then slowly stir in the product.

The product is not combustible.

Advices on general occupational hygiene
Make available sufficient washing facilities
Remove contaminated, saturated clothing immediately.

Keep away from food and drink.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Suitable floor material:

Alkali-resistant

Keep/Store only in original container.

Keep container tightly closed.

Storage class

8B Non-combustible corrosive substances

Materials to avoid

Do not store together with:

Acid

Further information on storage conditions

Keep locked up and out of reach of children. Protect from heat and direct solar radiation. Do not keep at temperatures below -5°C Do not keep at temperatures above 30°C. Storage time: 3 years.

7.3 Specific end use(s)

Recommendation

See section 1.2

Care for thoroughly room ventilation for higher bath temperatures.

* SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

CAS No.	EC No.	Substance name	occupational exposure limit value
1310-73-2	215-185-5	Sodium hydroxide	Short-term(mg/m³) 2 (1) (1) 15 minutes reference period (IE)
102-71-6	203-049-8	Triethanolamine	5 [mg/m³] (IE)
1310-73-2	215-185-5	Sodium hydroxide	Short-term(mg/m³) 2 (UK)



elma clean 110 (EC 110)

20.07.2022 18.07.2022 Print date Revision date Version 2.4 (en) replaces version of 03.02.2020 (2.3)

DNEL worker

DIVEL WOLK	ei .				
CAS No.	Substance name	DNEL value	DNEL type	Remark	
1310-73-2	sodium hydroxide	1 mg/m³	long-term inhalative (lo	ocal)	
102-71-6	triethanolamine [2,2',2"-nitrilotriethanol]	1 mg/m³	long-term inhalative (lo	ocal)	
102-71-6	triethanolamine [2,2',2"- nitrilotriethanol]	7.5 mg/kg bw/day	y long-term dermal (syst	emic)	
PNEC					
CAS No.	Substance name	PNEC Value	PNEC type	Remark	
68515-73-1	alkylpolyglycoside	0.176 mg/L	aquatic, freshwater		
68515-73-1	alkylpolyglycoside		sewage treatment plant (STP)		
102-71-6	triethanolamine [2,2',2"- nitrilotriethanol]	0.32 mg/L	aquatic, freshwater		
102-71-6	triethanolamine [2,2',2"-	10 mg/L	sewage treatment plant		

(STP)

* 8.2 Exposure controls

Personal protection equipment

Eye/face protection tightly fitting goggles

Hand protection

Gloves (alkali-resistant)

Glove material specification [make/type, thickness, permeation time/life]: Butyl, 0,5mm, >=8h. Glove material specification [make/type, thickness, permeation time/life]: NBR, 0,35mm, >=8h. Glove material specification [make/type, thickness, permeation time/life]: NR, 0,5mm, >=8h.

Body protection: suitable protective clothing Required properties: alkali-resistant

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation Suitable respiratory protection apparatus: Short term: filter apparatus, Filter P2

nitrilotriethanol]

Environmental exposure controls

Technical measures to prevent exposure

Neutralization is normally necessary before a waste water is discharged into sewage treatment plants. Avoid penetration into the subsoil/soil. Do not discharge into surface waters.

Additional information

Occupational exposure limits for triethanolamine. Occupational exposure limits for sodium hydroxide.

* SECTION 9: Physical and chemical properties

* 9.1 Information on basic physical and chemical properties

Physical state

liquid

Colour

yellowish up to brown



elma clean 110 (EC 110) Print date 20.07.20 20.07.2022 Revision date 2.4 (en) 03.02.2020 (2.3) Version replaces version of

Odour odourless

Safety relevant basis data

	Value	Method	Source, Remark
Odour threshold:			not determined
Melting point/freezing point	solidifying range < -5 °C		
Boiling point or initial boiling point and boiling range	> 100 °C		
flammability	solid		not applicable
flammability	gaseous		not applicable
Lower and upper explosion limit	Upper explosion limit		not relevant
Lower and upper explosion limit	Lower explosion limit		not relevant
Flash point			No flash point up to 100 °C.
Auto-ignition temperature	324 °C		Value of triethanolamine.
Decomposition temperature	≥ 100 °C		
рН	in delivery state 12.4 (20°C) Concentration 10 g/L		strong alkaline
Viscosity	dynamic 13.3 mPa*s (20°C)		
Solubility(ies)	Water solubility		miscible
Solubility(ies)			not determined
Partition coefficient n-octanol/water (log value)	1.7		Value of alkylpolyglycoside.
Vapour pressure	approx. 23 hPa (20°C)		
Density and/or relative density	1.24 g/cm³ (20°C)		
Relative vapour density	5.13		Value of triethanolamine.
particle characteristics			not applicable (liquid).

* 9.2 Other information

Information with regard to physical hazard classes

Explosives

Assessment/classification
The mixture does not contain any explosive substances (CLP I 2.1.4.3 a).
CLP I 2.1.4.3 a: The classification procedure needs not to be applied because there are no chemical groups present in the molecule which are associated with explosive properties.

flammable gases

Assessment/classification not applicable (liquid).

Aerosols

Assessment/classification

not relevant - no aerosol.

The classification criteria for this hazard class are not met by definition.



elma clean 110 (EC 110)

Print date 20.07.2022
Revision date 18.07.2022
Version 2.4 (en) 03.02.2020 (2.3)

Oxidising gas

* Assessment/classification

not applicable (liquid).

* Gases under pressure

Assessment/classification

not applicable (liquid - no dissolved gas).

* flammable liquids

Assessment/classification

not flammable, not combustible (No flash point below 100°C).

* flammable solids

* Assessment/classification

not applicable (liquid).

Self-reactive substances and mixtures

* Assessment/classification

The mixture does not contain any self-reactive substances (CLP I 2.8.4.2 a).

CLP I 2.8.4.2 a: There are no chemical groups present in the molecule associated with explosive or self reactive properties.

Pyrophoric liquids

* Assessment/classification

The mixture does not contain any pyrophoric substances - not spontaneously flammable (CLP I 2.9.4.1). CLP I 2.9.4.1: The classification procedure for pyrophoric liquids need not be applied when experience in manufacture or handling shows that the substance or mixture does not ignite spontaneously on coming into contact with air at normal temperatures (i.e. the substance is known to be stable at room temperature for prolonged periods of time (days)).

* Pyrophoric solids

* Assessment/classification

not applicable (liquid).

self-heating substances and mixtures

Assessment/classification

The mixture does not contain any self-heating substances.

Substances or mixtures which, in contact with water, emit flammable gases

Assessment/classification

not relevant - in contact with water releases no flammable gases (CLP I 2.12.4.1).

CLP I 2.12.4.1: The classification procedure for this class need not be applied if: (a) the chemical structure of the substance or mixture does not contain metals or metalloids; or (b) experience in production or handling shows that the substance or mixture does not react with water, e.g. the substance is manufactured with water or washed with water; or (c) the substance or mixture is known to be soluble in water to form a stable mixture.

Oxidising liquids

Assessment/classification

The mixture does not contain any oxidising substances.

* Oxidising solids

Assessment/classification

not applicable (liquid).

Organic peroxides

Assessment/classification

The mixture does not contain any organic peroxides.



elma clean 110 (EC 110)

Print date 20.07.2022
Revision date 18.07.2022
Version 24 (en) 03.02.2020 (2.3)

Corrosive to metals

Safety characteristics

	Value	Method, Result	Source, Remark
Corrosion rate (mm aluminium/year)	> 6.25 mm/a	Expert judgement and weight of evidence determination.	
Corrosion rate (mm steel/year)			not available

* Assessment/classification

The mixture is classified as corrosive to metals. (Met. Corr. 1 H290).

* Desensitised explosives

* Assessment/classification

The mixture does not contain any desensitised explosive substances.

Other safety characteristics

	Value	Method	Source, Remark
Evaporation rate			Water: 0.36 (ASTM D3539).
Solvent content	< 0 %		
Explosive properties:			none
Oxidising properties			none

* Other information

Free of phosphates and free of silicates.

* SECTION 10: Stability and reactivity

* 10.1 Reactivity

Exothermic reaction with:

Acid

No further hazardous reactions known if used as directed.

10.2 Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3 Possibility of hazardous reactions

Exothermic reaction with:

Acid

Reactions with light metals, with evolution of hydrogen.

10.4 Conditions to avoid

Heat and direct solar radiation.

10.5 Incompatible materials

Reactions with strong acids.

Corrodes aluminium.

10.6 Hazardous decomposition products

No decomposition if used as directed.



elma clean 110 (EC 110)

Print date 20.07.2022
Revision date 18.07.2022
Version 2.4 (en) 03.02.2020 (2.3)

* SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

* Acute toxicity

* Animal data

	Effective dose	Method, Evaluation	Source, Remark
Acute oral toxicity	> 5000 mg/kg	ATE: Acute Toxicity Estimate	
Acute dermal toxicity	> 5000 mg/kg	ATE: Acute Toxicity Estimate	
Acute inhalation toxicity	Acute inhalation toxicity (vapour)		not relevant

* Assessment/classification

Based on available data, the classification criteria are not met.

* Skin corrosion/irritation

Animal data

Result / Evaluation	Method	Source, Remark
strongly corrosive.	Calculation method.	

* Serious eye damage/irritation

Animal data

Result / Evaluation	Method	Source, Remark	
strongly corrosive.	Calculation method.		

* Sensitisation to the respiratory tract

* Assessment/classification

Based on available data, the classification criteria are not met.

* Skin sensitisation

Animal data

Result / Evaluation	Dose / Concentration	Method	Source, Remark
not sensitising.		Calculation method.	

* Germ cell mutagenicity

* Assessment/classification

Based on available data, the classification criteria are not met.

* Carcinogenicity

* Assessment/classification

Based on available data, the classification criteria are not met.

* Reproductive toxicity

Assessment/classification

Based on available data, the classification criteria are not met.

* Overall Assessment on CMR properties

The mixture is not classified as mutagen / not classified as carcinogen / not classified as reproductive toxicant.

* STOT-single exposure

* STOT SE 1 and 2

Other information

The mixture is not classified as specific target organ toxicant (single exposure).



elma clean 110 (EC 110)

Print date 20.07.2022
Revision date 18.07.2022
Version 2.4 (en)
replaces version of 03.02.2020 (2.3)

Assessment/classification

Based on available data, the classification criteria are not met.

* STOT SE 3

Irritation to respiratory tract

* Assessment/classification

Based on available data, the classification criteria are not met.

* Narcotic effects

Assessment/classification

Based on available data, the classification criteria are not met.

* STOT-repeated exposure

Other information

The mixture is not classified as specific target organ toxicant (repeated exposure).

* Assessment/classification

Based on available data, the classification criteria are not met.

* Aspiration hazard

* Remark

The mixture is not classified as aspiration hazardous.

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Symptoms related to the physical, chemical and toxicological characteristics

	Effective dose	Method,Evaluation	Source, Remark
Endocrine disrupting properties			This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

* Other information

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects). Inhalation of spray may cause strong respiratory irritation and may cause damage to mucous membranes/lung. Causes severe burns.

* SECTION 12: Ecological information

* 12.1 Toxicity

Aquatic toxicity

	Effective dose	Method,Evaluation	Source, Remark
Acute (short-term) fish toxicity	LC50: 17 mg/L	calculated.	
Chronic (long-term) fish toxicity	not determined		
Acute (short-term) toxicity to crustacea	EC50 17 mg/L	calculated.	
Chronic (long-term) toxicity to aquatic invertebrate	not determined		
Acute (short-term) toxicity to algae and cyanobacteria	EC50 1.1 mg/L	calculated.	After neutralization there is a reduction in the harmfulness from toxic to harmful to aquatic life: EC50(Algae, calculated, after neutralization): 18mg/l.



elma clean 110 (EC 110) Print date 20.07.20 20.07.2022 18.07.2022 Revision date 2.4 (en) 03.02.2020 (2.3) Version replaces version of

	Effective dose	Method, Evaluation	Source, Remark
Chronic (long-term) toxicity to aquatic algae and cyanobacteria	not determined		
Toxicity to other aquatic plants/organisms	not determined		
Toxicity to microorganisms	not determined		

Assessment/classification

Toxic to aquatic life.

* 12.2 Persistence and degradability

	Value	Method	Source, Remark
Biodegradation	Degradation rate > 70 %		Biodegradable.
Biodegradation	Degradation rate 100 %	Neutralization, pH- measurement	Alkaline properties can be eliminated up to 100% by neutralization.
Biodegradation	Degradation rate 96 % Test duration 19 d	OECD 301E/ EEC 92/69/V, C.4-B	CAS No.102-71-6 triethanolamine [2,2',2"- nitrilotriethanol]
Biodegradation			CAS No.1310-73-2 sodium hydroxide
			Inorganic product which is not eliminable from water through biological cleaning processes.
Biodegradation	Degradation rate 100 % Test duration 28 d	OECD 301E/ EEC 92/69/V, C.4-B	CAS No.68515-73-1 alkylpolyglycoside

12.3 Bioaccumulative potential

Assessment/classification

sodium hydroxide: No bioaccumulation. alkylpolyglycoside: Significant accumulation in organisms is not expected (log Pow: 1.7).

triethanolamine: Accumulation in organisms is not expected (BCF: <0,4).

12.4 Mobility in soil

Assessment/classification

sodium hydroxide: Mobile in an aqueous ambience. alkylpolyglycoside: Low adsorption on soil (Koc: ~50). triethanolamine: Adsorption on soil is not expected (Koc: 10).

12.5 Results of PBT and vPvB assessment

The product does not contain any PBT-/vPvB-substances according to the recipe.

* 12.6 Endocrine disrupting properties

	Effective dose	Method,Evaluation	Source, Remark
Endocrine disrupting properties			This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.
* 12.7 Other adverse effects			
	Value	Method	Source, Remark
Ozone depletion potential (ODP):			Based on available data, the classification criteria

are not met.



elma clean 110 (EC 110)

Print date 20.07.2022
Revision date 18.07.2022
Version 2.4 (en)
replaces version of 03.02.2020 (2.3)

Additional ecotoxicological information

Value Method Source, Remark

Chemical oyxgen demand (COD) approx. 116 mgO2/g

AOX

The product does not contain any organically bound halogens according to the recipe.

Additional information

The surfactants in our product meet the criteria for biodegradation as laid down in Annex III of the Regulation (EC) No 648/2004 on detergents.

Acute aquatic environmental hazards: Aquatic Acute 2 H401: Toxic to aquatic life. After neutralization: Aquatic Acute 3 H402: Harmful to aquatic life.

The mixture is not classified as chronic hazardous to the aquatic environment.

Do not allow uncontrolled discharge of product into the environment.

No further relevant informations available.

* SECTION 13: Disposal considerations

* 13.1 Waste treatment methods

* Waste codes/waste designations according to EWC/AVV

Waste code product	Waste name
200129 *	detergents containing hazardous substances
Waste code packaging	y Waste name
150110 *	packaging containing residues of or contaminated by hazardous substances

Appropriate disposal / Product

Do not dispose with household waste.

Suitable for neutralization are acetic acid (60%, liquid) or citric acid (solid powder, crystallized) if a stainless steel bath is used.

Dispose of waste according to applicable legislation.

* Appropriate disposal / Package

Non-contaminated packages may be recycled.

Handle contaminated packages in the same way as the substance itself.

Remark

Neutralization recipe: For 1 kg concentrate use about 715 ml acetic acid (60%) or about 750 g waterfree citric acid. Do not use hydrochloric acid in ultrasonic bathes!

SECTION 14: Transport information

	Land transport (ADR/RID)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA- DGR)
14.1 UN number or ID number	1824	1824	1824
14.2 UN proper shipping name	SODIUM HYDROXIDE SOLUTION	SODIUM HYDROXIDE SOLUTION	Sodium hydroxide solution
14.3 Transport hazard class(es)	8	8	8
14.4 Packing group	II	II	II
14.5 Environmental hazards	No	No	No

14.6 Special precautions for user

none

14.7 Maritime transport in bulk according to IMO instruments

not relevant



elma clean 110 (EC 110)

20.07.2022 18.07.2022 Print date Revision date 2.4 (en) 03.02.2020 (2.3) Version replaces version of

Land transport (ADR/RID)

UN number or ID number 1824

UN proper shipping name SODIUM HYDROXIDE SOLUTION

Transport hazard class(es) 8 8 Hazard label(s) Classification code C5 Packing group Ш **Environmental hazards** No Limited quantity (LQ) Special provisions Tunnel restriction code Ε

Sea transport (IMDG)

UN number or ID number 1824

UN proper shipping name SODIUM HYDROXIDE SOLUTION

Transport hazard class(es) 8 Packing group Ш **Environmental hazards** Nο Limited quantity (LQ) 1 L Marine pollutant No **EmS** F-A, S-B

Air transport (ICAO-TI / IATA-DGR)

UN number or ID number 1824

UN proper shipping name Sodium hydroxide solution

Transport hazard class(es) Packing group Ш **Environmental hazards** No

* SECTION 15: Regulatory information

* 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Authorisations

not relevant

 $\begin{array}{l} \textbf{Restrictions on use} \\ \textbf{Regulation (EC) No 1907/2006 (REACH), Annex XVII No 3 - not relevant if used as directed.} \end{array}$

Restrictions of occupation

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

Other regulations (EU)

To follow:

Regulation (EC) No. 648/2004 (Detergents regulation) Directive 2012/18/EU, Annex I: not mentioned.



elma clean 110 (EC 110)

20.07.2022 18.07.2022 Print date Revision date 2.4 (en) Version 03.02.2020 (2.3) replaces version of

Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive] VOC VOC content, delivery state 0 %

15.2 Chemical Safety Assessment

National regulations

For this mixture a chemical safety assessment were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road ASTM: American Society for Testing and Materials

ATE: Acute Toxicity Estimate
AVV: Waste Shipment Ordinance (DE)

DGR: Dangerous Goods Regulations (IATA)
DNEL: derived no-effect level
DSC: Differential Scanning Calorimetry

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization IMDG: International Maritime Dangerous Goods

IMO: International Maritime Organization JArbSchG: Youth Labor Protection Act (DE)

OECD: Organisation for Economic Cooperation and Development

PBT: persistent and bioaccumulative and toxic PNEC: Predicted No Effect Concentration

RID: Dangerous goods regulations for transport by rail

TI: Technical Instruction

TRGS: Technical Rules for Hazardous Substances

VOC: Volatile organic compounds

vPvB: very persistent, very bioaccumulative

Key literature references and sources for data

European Chemicals Agency, http://echa.europa.eu/.

Informations from our suppliers.

Additional information

National and local regulations concerning chemicals shall be observed.

These data are given according to our actual knowledge about this product. This data sheet does not correspond to an assurance by virtue of a contract for properties of the product.

Relevant H- and EUH-phrases (Number and full text)

H290 May be corrosive to metals.

Causes severe skin burns and eye damage. H314

H318 Causes serious eye damage.

Indication of changes

Data changed compared with the previous version