

elma clean 120 (EC 120)

Print date 20.12.2022
Revision date 22.09.2022
Version 20.0 (en) 20.11.2017 (1.9)

* SECTION 1: Identification of the substance/mixture and of the company/undertaking

* 1.1 Product identifier

Trade name/designation elma clean 120 (EC 120)
Unique Formula Identifier UFI: 2710-80EN-800A-3FAS

Product category PC-CLN-OTH Other cleaning, care and maintenance products

(excludes biocidal products)

Hazard components

disodium metasilicate, sodium carbonate, Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxid, tetrasodium pyrophosphate, cocosfattyaminoxethylate, decan-1-ol, ethoxylated

1.2 Relevant identified uses of the substance or mixture and uses advised against

Sector of uses [SU]

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

SU3 Industrial uses

Use of the substance/mixture

Alkaline cleaning powder for aqueous immersion cleaning with ultrasonics of metal, light metal and plastic surfaces. Contains inhibitors protecting amphoteric metals (aluminium a.s.o.).

1.3 Details of the supplier of the safety data sheet

Supplier

Elma Schmidbauer GmbH
Gottlieb-Daimler-Str. 17
D-78224 Singen (Htwl.)
Telephone +49 7731 882-0
Telefax +49 7731 882-266
E-mail info@elma-ultrasonic.com
Website www.elma-ultrasonic.com

Department responsible for information:

Chemie/Labor: Email: chemlab@elma-ultrasonic.com

* 1.4 Emergency telephone number

Vergiftungs-Informations-Zentrale Freiburg (Sprache/Language: DE, +49 761 19240 EN)

Classification procedure

* SECTION 2: Hazards identification

Classification according to

2.1 Classification of the substance or mixture

Regulation (EC) No 1272/2008
[CLP]

Acute Tox. 4, H332

Skin Corr. 1B, H314

Calculation method.

Eye Dam. 1, H318

Calculation method.

STOT SE 3, H335

Calculation method.

Hazard statements for health hazards

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

* 2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard components

disodium metasilicate, sodium carbonate, Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxid, tetrasodium pyrophosphate, cocosfattyaminoxethylate, decan-1-ol, ethoxylated



elma clean 120 (EC 120)

20.12.2022 22.09.2022 Print date Revision date 2.0 (en) Version 09.11.2017 (1.9) replaces version of

Hazard pictograms





GHS05

GHS07

Signal word

Danger

Hazard statements

H314 Causes severe skin burns and eye damage.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

Precautionary statements

P405 Store locked up. P102 Keep out of reach of children.

P260 Do not breathe dust.

P280 Wear protective gloves/protective clothing and eye/face protection.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a doctor.
P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P302 + P352 IF ON SKIN: Wash with plenty of water. P332 + P313 If skin irritation occurs: Get medical advice/attention.

P312 Call a POISON CENTER/doctor if you feel unwell.

Other labelling

Labelling for contents according to regulation (EC) No. 648/2004:

5 - 15% anionic surfactants

< 5% non-ionic surfactants

≥ 30% phosphates

2.3 Other hazards

Adverse human health effects and symptoms

Acute Tox. 5 (oral) H303: May be harmful if swallowed.

Inhalation of dust may cause irritation of the respiratory system.

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

Adverse environmental effects

Aquatic Acute 3 H402: Harmful to aquatic life.

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Results of PBT and vPvB assessment

The product does not contain any PBT-/vPvB-substances according to the recipe.

* SECTION 3: Composition / information on ingredients

3.1 Substances

not applicable

* 3.2 Mixtures

Hazardous ingredients

| | 5 | | | | |
|-----------|-----------|-----------------------|------------------|--|-------------|
| CAS No. | EC No. | Substance name | Concentration | Classification according to Regulation (EC) No 1272/2008 [CLP] | SCL/ M/ ATE |
| 6834-92-0 | 229-912-9 | disodium metasilicate | 20 - 30 weight-% | Acute Tox. 4; H302 Skin Corr. 1B; H314 Eye Dam. 1; H318 STOT SE 3; H335 | |
| 497-19-8 | 207-838-8 | sodium carbonate | 5 - 15 weight-% | Eye Irrit. 2; H319 | |



elma clean 120 (EC 120)

Print date 20.12.2022 22.09.2022 Revision date 2.0 (en) 09.11.2017 (1.9) Version replaces version of

| CAS No. | EC No. | Substance name | Concentration | Classification according to Regulation (EC) No 1272/2008 [CLP] | SCL/ M/ ATE | | |
|-------------------------|-----------|---|-----------------------|---|-------------|--|--|
| | 932-051-8 | Reaction product of Benzenesulfonic acid, 4-C10- 13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxid | 5 - 10 weight-% | Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 3; H412 | | | |
| 7722-88-5 | 231-767-1 | tetrasodium pyrophosphate | 5 - 10 weight-% | Acute Tox. 4; H302 Eye Dam. 1; H318 | | | |
| 61791-14-8 | | cocosfattyaminoxethylate | < 4 weight-% | Acute Tox. 4; H302 Eye Dam. 1; H318 Aquatic Chronic 3; H412 | | | |
| 26183-52-8 | | decan-1-ol, ethoxylated | < 4 weight-% | Acute Tox. 4; H302 Eye Dam. 1; H318 | | | |
| REACH No. | | Substance name | | | | | |
| 01-21194498 | 11-37 | disodium metasilicate | disodium metasilicate | | | | |
| 01-2119485498-19 | | sodium carbonate | | | | | |
| 01-2119565112-48 | | Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxid | | | | | |
| 01-2119489794-17 | | tetrasodium pyrophosphate | | | | | |
| Not relevant (polymer). | | cocosfattyaminoxethylate | | | | | |
| Not relevant (polymer). | | decan-1-ol, ethoxylated | | | | | |

Additional information

Mixture (powder) with silikates, carbonates, phosphates of alkalies, anionic and nonionic surfactants.

* SECTION 4: First aid measures

* 4.1 Description of first aid measures

General information

Remove contaminated, saturated clothing immediately. Remove casualty to fresh air and keep warm and at rest.

Following inhalation

Provide fresh air.

Medical treatment necessary.

Following skin contact In case of contact with skin wash off immediately with plenty of water.

In case of skin irritation, consult a physician.

After eye contact

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Following ingestion
Do NOT induce vomiting.

Call a physician immediately.

Rinse mouth immediately and drink plenty of water.

* 4.2 Most important symptoms and effects, both acute and delayed

Effects

Risk of stomach perforation.



elma clean 120 (EC 120)

20.12.2022 22.09.2022 Print date Revision date 2.0 (en) Version 09.11.2017 (1.9) replaces version of

4.3 Indication of any immediate medical attention and special treatment needed

Notes for the doctor

Keep under medical supervision for at least 48 hours.

* SECTION 5: Firefighting measures

* 5.1 Extinguishing media

Suitable extinguishing media

Water Foam Extinguishing powder

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products In case of fire formation of dangerous gases possible. In the event of fire the following can be released: Nitrogen oxides (NOx) Carbon monoxide Phosphorus oxides Carbon dioxide (CO2) Sulphur oxides Silicon dioxide (SiO2)

* 5.3 Advice for firefighters

Special protective equipment for firefighters

Do not inhale explosion and combustion gases. In case of fire: Wear self-contained breathing apparatus.

* Additional information

Co-ordinate fire-fighting measures to the fire surroundings.

The product itself does not burn.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Keep people away and stay on the upwind side.

Avoid dust formation.

Use personal protection equipment.

Special danger of slipping by leaking/spilling product.

For emergency responders

Keep people away and stay on the upwind side. Avoid dust formation.

Personal protection equipment

Use personal protection.

Use breathing apparatus if exposed to vapours/dust/aerosol.

Forms slippery surfaces with water.

Special danger of slipping by leaking/spilling product.

6.2 Environmental precautions

Do not allow to enter into surface water or drains.

Knock down dust with water spray jet.

Do not allow to enter into soil/subsoil.

6.3 Methods and material for containment and cleaning up

For containment

Flush away residues with water.

After taking up the material dispose according to regulation.



elma clean 120 (EC 120)

20.12.2022 22.09.2022 Print date Revision date 2.0 (en) Version 09.11.2017 (1.9) replaces version of

For cleaning up

Take up mechanically.

* 6.4 Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

* SECTION 7: Handling and storage

* 7.1 Precautions for safe handling

Protective measures

Handle and open container with care.

Avoid the formation and deposition of dust.

Do not inhale dust.

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

Avoid contact with eyes and skin.

Use only alkali-resistant equipment.

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

The product is not combustible.

Advices on general occupational hygiene Make available sufficient washing facilities

Keep away from food and drink.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep/Store only in original container.

Suitable floor material:

Alkali-resistant

Storage class

8B Non-combustible corrosive substances

Materials to avoid

Do not store together with:

Acid

Further information on storage conditions

Keep locked up and out of reach of children.

Product is hygroscopic. Storage time: 5 years.

7.3 Specific end use(s)

Recommendation

no further

* SECTION 8: Exposure controls/personal protection

* 8.1 Control parameters

Occupational exposure limit values

| CAS No. | EC No. | Substance name | occupational exposure limit value |
|-----------|--------|---------------------------|-----------------------------------|
| 7722-88-5 | | Tetrasodium pyrophosphate | 5 [mg/m³] (IE) |
| 7722-88-5 | | Tetrasodium pyrophosphate | 5 [mg/m³] (UK) |



elma clean 120 (EC 120)

Print date 20.12.2022 22.09.2022 Revision date 2.0 (en) Version replaces version of 09.11.2017 (1.9)

DNEL worker

| CAS No. | Substance name | DNEL value | DNEL type | Remark |
|-----------|---|-------------------|------------------------------------|-------------------------|
| 7722-88-5 | tetrasodium pyrophosphate | 17.63 mg/m³ | long-term inhalative (systemic) | Assessment factor 25 |
| 497-19-8 | sodium carbonate | 10 mg/m³ | long-term inhalative (local) | |
| 6834-92-0 | disodium metasilicate | 1.49 mg/kg bw/day | long-term dermal (systemic |) Assessment factor 175 |
| 6834-92-0 | disodium metasilicate | 6.22 mg/m³ | long-term inhalative (systemic) | Assessment factor 25 |
| | Reaction product of Benzenesulfonic acid, 4-C10-13- sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxid | 6 mg/m³ | long-term inhalative (systemic) | Assessment factor 25 |

PNEC

| CAS No. | Substance name | PNEC Value | PNEC type | Remark |
|-----------|---|------------|------------------------------|----------------------|
| 6834-92-0 | disodium metasilicate | 7.5 mg/L | aquatic, freshwater | |
| 6834-92-0 | disodium metasilicate | 1000 mg/L | sewage treatment plant (STP) | |
| | Reaction product of Benzenesulfonic acid, 4-C10-13- sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxid | 0.268 mg/L | aquatic, freshwater | Assessment factor 1 |
| | Reaction product of Benzenesulfonic acid, 4-C10-13- sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxid | 5.6 mg/L | sewage treatment plant (STP) | Assessment factor 10 |

8.2 Exposure controls

Appropriate engineering controls

Technical measures to prevent exposure

Technical exhaustion if there is a long-term exposition

Personal protection equipment

Eye/face protection

tightly fitting goggles

Hand protection

Gloves (alkali-resistant)

Glove material specification [make/type, thickness, permeation time/life]: Butyl, 0,5mm, >=8h. Glove material specification [make/type, thickness, permeation time/life]: NBR, 0,35mm, >=8h. Glove material specification [make/type, thickness, permeation time/life]: FKM, 0,4mm, >=8h. Glove material specification [make/type, thickness]: NR, 0.5mm.

Body protection: Required properties: alkali-resistant

Respiratory protectionSuitable respiratory protection apparatus: In case of dust formation wear micro dust mask. Particle filter P2

Environmental exposure controls

Technical measures to prevent exposure
Neutralization is normally necessary before a waste water is discharged into sewage treatment plants. Avoid penetration into the subsoil/soil. Do not discharge into surface waters.



elma clean 120 (EC 120)
Print date 20.12.2022
Revision date 22.09.2022
Version 20.0 (en)
replaces version of 09.11.2017 (1.9)

Additional information

Occupational exposure limits for dust.

* SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Powder

Colour white

Odour

characteristic

Safety relevant basis data

| - | Value | Method | Source, Remark |
|--|--|--------|--|
| Odour threshold: | | | not determined |
| Melting point/freezing point | melting range | | not determined |
| Boiling point or initial boiling point and boiling range | | | not determined |
| flammability | solid | | none |
| flammability | gaseous | | not applicable |
| Lower and upper explosion limit | Upper explosion limit | | not applicable |
| Lower and upper explosion limit | Lower explosion limit | | not applicable |
| Flash point | | | not applicable |
| Auto-ignition temperature | > 400 °C | | Value of Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxid. |
| Decomposition temperature | | | not determined |
| pH | in delivery state approx. 12 (20°C) Concentration 10 g/L | | |
| Viscosity | | | not applicable |
| Solubility(ies) | Water solubility 100 g/L (20°C) | | |
| Partition coefficient n-octanol/water (log value) | 0.7 | | Value of Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxid. |
| Vapour pressure | | | not available |
| Density and/or relative density | | | not determined |
| Density and/or relative density | Bulk density 920 kg/m³ | | |
| Relative vapour density | | | not relevant |



elma clean 120 (EC 120)

Print date 20.12.2022 22.09.2022 Revision date 2.0 (en) 09.11.2017 (1.9) Version replaces version of

| | Value | Method | Source, Remark |
|--------------------------|---|--------|---|
| particle characteristics | Particle size distribution range 200- 1250 μm | | CAS No.6834-92-0 disodium metasilicate European Chemicals Agency, http://echa.europa.eu/. |
| particle characteristics | mass median diameter (MMD) 695 μm | | CAS No.6834-92-0 disodium metasilicate European Chemicals Agency, http://echa.europa.eu/. |
| particle characteristics | Particle size distribution range < 100 μm | | CAS No.7722-88-5 tetrasodium pyrophosphate European Chemicals Agency, http://echa.europa.eu/. |
| particle characteristics | mass median diameter (MMD) 198- 1580 μm | | CAS No.497-19-8 sodium carbonate European Chemicals Agency, http://echa.europa.eu/. |
| particle characteristics | mass median diameter (MMD) 638.7 μm | | Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxid European Chemicals Agency, http://echa.europa.eu/. |

* 9.2 Other information

Information with regard to physical hazard classes

Explosives

Assessment/classification

The mixture does not contain any explosive substances (CLP I 2.1.4.3 a). CLP I 2.1.4.3 a: The classification procedure needs not to be applied because there are no chemical groups present in the molecule which are associated with explosive properties.

flammable gases

Assessment/classification

not applicable (solid).

Aerosols

Assessment/classification

not relevant - no aerosol.

The classification criteria for this hazard class are not met by definition.

Oxidising gas

Assessment/classification not applicable (solid).

Gases under pressure

Assessment/classification

not applicable (solid).

flammable liquids

Assessment/classification

not applicable (solid).



elma clean 120 (EC 120)

20.12.2022 22.09.2022 Print date Revision date 2.0 (en) Version 09.11.2017 (1.9) replaces version of

flammable solids

Assessment/classification

not flammable, not combustible.

The mixture does not contain any flammable substances.

Self-reactive substances and mixtures

Assessment/classification

The mixture does not contain any self-reactive substances (CLP I 2.8.4.2 a).

CLP I 2.8.4.2 a: There are no chémical groups present in the molecule associated with explosive or self reactive properties.

Pyrophoric liquids

Assessment/classification

not applicable (solid).

Pyrophoric solids

Assessment/classification
The mixture does not contain any pyrophoric substances - not spontaneously flammable (CLP I 2.10.4.1). CLP I 2.10.4.1: The classification procedure for pyrophoric solids need not be applied when experience in manufacture or handling shows that the substance or mixture does not ignite spontaneously on coming into contact with air at normal temperatures (i.e. the substance is known to be stable at room temperature for prolonged periods of time (days)).

self-heating substances and mixtures

Assessment/classification

The mixture does not contain any self-heating substances.

Substances or mixtures which, in contact with water, emit flammable gases

Assessment/classification

not relevant - in contact with water releases no flammable gases (CLP I 2.12.4.1).

CLP I 2.12.4.1: The classification procedure for this class need not be applied if: (a) the chemical structure of the substance or mixture does not contain metals or metalloids; or (b) experience in production or handling shows that the substance or mixture does not react with water, e.g. the substance is manufactured with water or washed with water; or (c) the substance or mixture is known to be soluble in water to form a stable mixture.

Oxidising liquids

Assessment/classification

not applicable (solid).

Oxidising solids

Assessment/classification

The mixture does not contain any oxidising substances.

Organic peroxides

Assessment/classification

The mixture does not contain any organic peroxides.

Corrosive to metals

Safety characteristics

| | Value | Method, Result | Source, Remark |
|------------------------------------|-------------|--|----------------|
| Corrosion rate (mm steel/year) | < 6.25 mm/a | Expert judgement and weight of evidence determination. | |
| Corrosion rate (mm aluminium/year) | < 6.25 mm/a | Expert judgement and weight of evidence determination. | |

Assessment/classification

Based on available data, the classification criteria are not met.



elma clean 120 (EC 120)

Print date 20.12.2022 22.09.2022 Revision date 2.0 (en) 09.11.2017 (1.9) Version replaces version of

Desensitised explosives

Assessment/classificationThe mixture does not contain any desensitised explosive substances.

Other safety characteristics

| | Value | Method | Source, Remark |
|----------------------|-------|--------|---------------------------|
| Evaporation rate | | | Water: 0.36 (ASTM D3539). |
| Solvent content | 0 % | | |
| Explosive properties | | | none |
| Oxidising properties | | | none |

Other information

No further relevant informations available.

* SECTION 10: Stability and reactivity

* 10.1 Reactivity

Exothermic reaction with:

Acid

No further hazardous reactions known if used as directed.

10.2 Chemical stability

Stable at ambient temperature.

10.3 Possibility of hazardous reactions

Reactions with acids.

10.4 Conditions to avoid

not relevant

10.5 Incompatible materials

Acid

10.6 Hazardous decomposition products

No decomposition if used as directed.

* SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Animal data

| | Effective dose | Method,Evaluation | Source, Remark |
|---------------------|---|---------------------------------|---|
| Acute oral toxicity | >2000- 2500 mg/kg | ATE: Acute Toxicity Estimate | The acute oral toxicity is corresponding to GHS-category 5. |
| | CAS No.6834-92-0 disodium metasilicate LD50: 1152 mg/kg Species Rat | | |
| | CAS No.26183-52-8 decan- 1-ol, ethoxylated LD50: 500- 2000 mg/kg Species Rat | | |



Source, Remark

not relevant

elma clean 120 (EC 120)

Print date 20.12.2022
Revision date 22.09.2022
Version 2.0 (en)
replaces version of 09.11.2017

Version 2.0 (en) replaces version of 09.11.2017 (1.9)

Effective dose Method, Evaluation

CAS No.61791-14-8

cocosfattyaminoxethylate LD50: 750 mg/kg Species

Rat

CAS No.7722-88-5 tetrasodium pyrophosphate LD50: 1624 mg/kg Species

Rat

Acute dermal toxicity > 5000 mg/kg

ATE: Acute Toxicity

Estimate

(dust/mist) approx. 2.3 mg/L ATE: Acute Toxicity

Estimate

Acute inhalation toxicity (vapour)

CAS No.497-19-8 sodium

carbonate

Acute inhalation toxicity

(gas)

ĽC50: 2.3 mg/L Species Rat

Exposure time 2 h

* Assessment/classification

Harmful by inhalation. May be harmful if swallowed.

Skin corrosion/irritation

Animal data

Result / Evaluation Method Source, Remark

Corrosive. Calculation method.

Serious eye damage/irritation

Animal data

Result / Evaluation Method Source, Remark
Corrosive Calculation method.

Sensitisation to the respiratory tract

* Assessment/classification

Based on available data, the classification criteria are not met.

Skin sensitisation

Animal data

Result / Evaluation Dose / Concentration Method Source, Remark not sensitising.

Calculation method.

* Germ cell mutagenicity

* Assessment/classification

Based on available data, the classification criteria are not met.

* Carcinogenicity

Assessment/classification

Based on available data, the classification criteria are not met.

* Reproductive toxicity

Assessment/classification

Based on available data, the classification criteria are not met.



elma clean 120 (EC 120)

Print date 20.12.2022 22.09.2022 Revision date 2.0 (en) Version replaces version of 09.11.2017 (1.9)

Overall Assessment on CMR properties

The mixture is not classified as mutagen / not classified as carcinogen / not classified as reproductive toxicant.

* STOT-single exposure

- STOT SE 1 and 2
- Assessment/classification

Based on available data, the classification criteria are not met.

- STOT SE 3
- Irritation to respiratory tract
- Assessment/classification

Respiratory irritant effect: STOT SE 3 H335: May cause respiratory irritation.

- **Narcotic effects**
- Assessment/classification

Based on available data, the classification criteria are not met.

- STOT-repeated exposure
- Assessment/classification

The mixture is not classified as specific target organ toxicant (repeated exposure). Based on available data, the classification criteria are not met.

- **Aspiration hazard**
- Assessment/classification

The mixture is not classified as aspiration hazardous. Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Symptoms related to the physical, chemical and toxicological characteristics

| | Effective dose | Method,Evaluation | Source, Remark |
|---------------------------------|----------------|-------------------|--|
| Endocrine disrupting properties | | | This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria. |

Other information

Causes burns.

Has degreasing effect on the skin.

* SECTION 12: Ecological information

* 12.1 Toxicity

Aquatic toxicity

| | Effective dose | Method, Evaluation | Source, Remark |
|----------------------------------|---|--------------------|----------------|
| Acute (short-term) fish toxicity | LC50: 44 mg/L | calculated. | |
| | CAS No.61791-14-8 cocosfattyaminoxethylate LC50: 2.3 mg/L | | |



elma clean 120 (EC 120)
Print date 20.12.2022
Revision date 22.09.2022
Version 2.0 (en)
replaces version of 09.11.2017 (1.9)

| | Effective dose | Method,Evaluation | Source, Remark |
|---|---|--|----------------|
| | Reaction product of Benzenesulfonic acid, 4- C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxid LC50: 5.5 mg/L Species Cyprinus carpio (Common Carp) Test duration 96 h | Regulation (EC) No. 440/2008, Annex C.1 | |
| Chronic (long-term) fish toxicity | Reaction product of Benzenesulfonic acid, 4- C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxid NOEC >0.1- 1 mg/L Species Oncorhynchus mykiss (Rainbow trout) Test duration 72 d | | |
| Acute (short-term) toxicity to crustacea | EC50 67 mg/L CAS No.61791-14-8 | calculated. | |
| | cocosfattyaminoxethylate EC50 4.4 mg/L | | |
| | Reaction product of Benzenesulfonic acid, 4- C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxid EC50 8.8 mg/L Species Daphnia magna (Big water flea) Test duration 48 h | OECD 202 | |
| Chronic (long-term) toxicity to aquatic invertebrate | Reaction product of Benzenesulfonic acid, 4- C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxid NOEC >1- 10 mg/L Species Daphnia magna (Big water flea) Test duration 21 d | OECD 211 | |
| Acute (short-term) toxicity to algae and cyanobacteria | EC50 61 mg/L CAS No.61791-14-8 | calculated. | |
| | cocosfattyaminoxethylate EC50 1.9 mg/L | | |
| | Reaction product of Benzenesulfonic acid, 4- C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxid EC50 25 mg/L Species Scenedesmus subspicatus Test duration 72 h | OECD 201 | |
| Chronic (long-term) toxicity to aquatic algae and cyanobacteria | CAS No.61791-14-8 cocosfattyaminoxethylate NOEC: 0.41 mg/L | | |



elma clean 120 (EC 120)
Print date 20.12.2022
Revision date 22.09.2022
Version 2.0 (en)
replaces version of 09.11.2017 (1.9)

| | Effective dose | Method,Evaluation | Source, Remark |
|--|---|-------------------|----------------|
| | Reaction product of Benzenesulfonic acid, 4- C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxid EC10: 1.5 mg/L Species Desmodesmus subspicatus Test duration 72 h | OECD 201 | |
| Toxicity to other aquatic plants/organisms | not determined | | |
| Toxicity to microorganisms | not determined | | |

12.2 Persistence and degradability

| | Value | Method | Source, Remark |
|----------------|---|--|---|
| Biodegradation | Degradation rate > 70 % | | DOC reduction Biodegradable. |
| Biodegradation | Degradation rate 100 % | Neutralization, pH- measurement | Alkaline properties can be eliminated up to 100% by neutralization. |
| Biodegradation | Degradation rate 76 % Test duration 28 d | OECD 302B/ ISO 9888/ EEC 92/69/V, C.9 | CAS No.61791-14-8 cocosfattyaminoxethylate |
| Biodegradation | Degradation rate > 60 % | OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C | CAS No.26183-52-8 decan-1-ol, ethoxylated |
| Biodegradation | Degradation rate ≥ 90 % Test duration 28 d | OECD 301E/ EEC 92/69/V, C.4-B | CAS No.26183-52-8 decan-1-ol, ethoxylated |
| Biodegradation | Degradation rate > 70 % Test duration 28 d | OECD 301A/ ISO 7827/ EEC 92/69/V, C.4-A | Reaction product of Benzenesulfonic acid, 4- C10-13-sec-alkyl derivs. and Benzenesulfonic acid 4-methyl- and sodium hydroxid |
| Biodegradation | Degradation rate > 60 % Test duration 28 d | OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C | Reaction product of Benzenesulfonic acid, 4- C10-13-sec-alkyl derivs. and Benzenesulfonic acid 4-methyl- and sodium hydroxid |
| Biodegradation | | | CAS No.6834-92-0 disodium metasilicate |
| | | | Inorganic product which i not eliminable from water through biological cleanir processes. |
| Biodegradation | | | CAS No.7722-88-5 tetrasodium pyrophospha |
| | | | Inorganic product which i not eliminable from water through biological cleanir processes. |



elma clean 120 (EC 120)

Print date 20.12.2022
Revision date 22.09.2022
Version 20.0 (en) 09.11.2017 (1.9)

 Value
 Method
 Source, Remark

 Biodegradation
 CAS No.497-19-8 sodium carbonate

Inorganic product which is

Inorganic product which is not eliminable from water through biological cleaning processes.

12.3 Bioaccumulative potential

Assessment/classification

disodium metasilicate: Accumulation in organisms is not expected.

sodium carbonate: No bioaccumulation.

Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxid: Bioaccumulation is improbable.

tetrasodium pyrophosphate: Bioaccumulation is improbable.

cocosfattyaminoxethylate: not available. decan-1-ol, ethoxylated: not available.

12.4 Mobility in soil

Assessment/classification

disodium metasilicate: not available. sodium carbonate: not available.

Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium

hydroxid: Adsorption on soil is not expected.

tetrasodium pyrophosphate: moderately mobile in soil (Koc: ~150).

cocosfattyaminoxethylate: not available. decan-1-ol, ethoxylated: not available.

12.5 Results of PBT and vPvB assessment

The product does not contain any PBT-/vPvB-substances according to the recipe.

12.6 Endocrine disrupting properties

| | Effective dose | Method,Evaluation | Source, Remark |
|---|-------------------|-------------------|--|
| Endocrine disrupting properties | | | This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria. |
| 12.7 Other adverse effects | | | |
| | Value | Method | Source, Remark |
| Ozone depletion potential (ODP): | | | Based on available data, the classification criteria are not met. |
| Additional ecotoxicological information | on | | |
| | Value | Method | Source, Remark |
| Chemical oyxgen demand (COD) | approx. 0.2 gO2/g | | |
| AOX | | | The product does not contain any organically bound halogens according to the recipe. |

Additional information

The surfactants in our product meet the criteria for biodegradation as laid down in Annex III of the Regulation (EC) No 648/2004 on detergents.

Acute aquatic environmental hazards: Aquatic Acute 3 H402: Harmful to aquatic life.

The mixture is not classified as chronic hazardous to the aquatic environment.

Do not allow uncontrolled discharge of product into the environment.

No further relevant informations available.



elma clean 120 (EC 120)

20.12.2022 22.09.2022 Print date Revision date 2.0 (en) Version 09.11.2017 (1.9) replaces version of

* SECTION 13: Disposal considerations

* 13.1 Waste treatment methods

Waste codes/waste designations according to EWC/AVV

Waste code product Waste name 200129 * detergents containing hazardous substances Waste code packaging Waste name 150110 * packaging containing residues of or contaminated by hazardous substances

Appropriate disposal / Product

Do not dispose with household waste.

Suitable for neutralization are acetic acid (60%, liquid) or citric acid (solid powder, crystallized) if a stainless steel bath is used.

Product is allowed to discharge into sewage treatment plants, but in accordance with official regulations.

In accordance with local official regulations take to chemical / physical treatment plant.

Appropriate disposal / Package

Non-contaminated packages may be recycled.
Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

| | Land transport (ADR/RID) | Sea transport (IMDG) | Air transport (ICAO-TI / IATA- DGR) |
|---------------------------------|----------------------------|----------------------------|--|
| 14.1 UN number or ID number | UN 3253 | UN 3253 | UN 3253 |
| 14.2 UN proper shipping name | DISODIUM TRIOXOSILICATE | DISODIUM TRIOXOSILICATE | Disodium trioxosilicate |
| 14.3 Transport hazard class(es) | 8 | 8 | 8 |
| 14.4 Packing group | III | III | III |
| 14.5 Environmental hazards | No | No | No |

14.6 Special precautions for user

14.7 Maritime transport in bulk according to IMO instruments

not relevant

Land transport (ADR/RID)

UN number or ID number UN 3253 UN proper shipping name DISODIUM TRIOXOSILICATE Transport hazard class(es) 8 Hazard label(s) 8 Classification code C6 Packing group Ш Environmental hazards No Limited quantity (LQ) 5 kg Special provisions Tunnel restriction code Ε



elma clean 120 (EC 120)

20.12.2022 22.09.2022 Print date Revision date 2.0 (en) 09.11.2017 (1.9) Version replaces version of

Sea transport (IMDG)

UN number or ID number UN 3253

UN proper shipping name DISODIUM TRIOXOSILICATE

Transport hazard class(es) 8 Packing group Ш Environmental hazards No Limited quantity (LQ) 5 kg Marine pollutant No **EmS** F-A, S-B

Air transport (ICAO-TI / IATA-DGR)

UN number or ID number UN 3253

UN proper shipping name Disodium trioxosilicate

Transport hazard class(es) Packing group Ш Environmental hazards No

* SECTION 15: Regulatory information

* 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Authorisations

not relevant

Restrictions on use Regulation (EC) No 1907/2006 (REACH), Annex XVII No 75 - not relevant if used as directed.

Restrictions of occupation

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

Other regulations (EU)

To follow:

Regulation (EC) No. 648/2004 (Detergents regulation) Directive 2012/18/EU, Annex I: not mentioned.

Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive] VOC

VOC content, delivery state 0 %

15.2 Chemical Safety Assessment

National regulations

For this mixture a chemical safety assessment were not carried out.



elma clean 120 (EC 120)

20.12.2022 22.09.2022 Print date Revision date 2.0 (en) Version 09.11.2017 (1.9) replaces version of

SECTION 16: Other information

Abbreviations and acronymsFor abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road ASTM: American Society for Testing and Materials

ATE: Acute Toxicity Estimate

AVV: Waste Shipment Ordinance (DE) DGR: Dangerous Goods Regulations (IATA)

DNEL: derived no-effect level DOC: Dissolved Organic Carbon

EmS: emergency procedures IATA: International Air Transport Association ICAO: International Civil Aviation Organization IMDG: International Maritime Dangerous Goods IMO: International Maritime Organization JArbSchG: Youth Labor Protection Act (DE)

OECD: Organisation for Economic Cooperation and Development

PBT: persistent and bioaccumulative and toxic PNEC: Predicted No Effect Concentration

RID: Dangerous goods regulations for transport by rail

TI: Technical Instruction

TRGS: Technical Rules for Hazardous Substances

VOC: Volatile organic compounds

vPvB: very persistent, very bioaccumulative

Key literature references and sources for data

European Chemicals Agency, http://echa.europa.eu/.

Informations from our suppliers.

Additional information

National and local regulations concerning chemicals shall be observed.

These data are given according to our actual knowledge about this product. This data sheet does not correspond to an assurance by virtue of a contract for properties of the product.

Relevant H- and EUH-phrases (Number and full text)

| H302 | Harmful if swallowed. |
|------|--|
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H335 | May cause respiratory irritation. |
| H412 | Harmful to aquatic life with long lasting effects. |

Indication of changes

Data changed compared with the previous version