

### elma clean 224 (EC 224)

14.12.2022 01.09.2022 Print date Revision date 2.4 (en) Version 14.07.2020 (2.3) replaces version of

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### \* 1.1 Product identifier

Trade name/designation elma clean 224 (EC 224) **Unique Formula Identifier** UFI: FT10-T08E-D00S-QUE7

**Product category** PC-CLN-OTH Other cleaning, care and maintenance products

(excludes biocidal products)

**Hazard components** 2-(2-aminoethoxy)ethanol, sodium hydroxide, 2-butoxyethanol

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Sector of uses [SU]

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

SU3 Industrial uses

Use of the substance/mixture

Aqueous mildly alkaline cleaning concentrate with corrosion-inhibiting component.

### 1.3 Details of the supplier of the safety data sheet

Supplier

Elma Schmidbauer GmbH Gottlieb-Daimler-Str. 17 D-78224 Singen (Htwl.) Telephone +49 7731 882-0 Telefax +49 7731 882-266 E-mail info@elma-ultrasonic.com Website www.elma-ultrasonic.com

Department responsible for information:

Chemie/Labor: Email: chemlab@elma-ultrasonic.com

### \* 1.4 Emergency telephone number

Vergiftungs-Informations-Zentrale Freiburg (Sprache/Language: DE, +49 761 19240

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

Classification according to Classification procedure

Regulation (EC) No 1272/2008

[CLP]

On basis of test data. Met. Corr. 1. H290 Skin Irrit, 2, H315 Calculation method. Eye Dam. 1, H318 Calculation method.

# Hazard statements for physical hazards H290 May be corrosive to metals.

### Hazard statements for health hazards

H315 Causes skin irritation.

H318 Causes serious eye damage.

### \* 2.2 Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

**Hazard components** 

2-(2-aminoethoxy)ethanol, sodium hydroxide, 2-butoxyethanol



### elma clean 224 (EC 224)

Print date 14.12.2022 01.09.2022 Revision date 2.4 (en) Version replaces version of 14.07.2020 (2.3)

### **Hazard pictograms**



GHS05

### Signal word

Danger

### **Hazard statements**

H290 May be corrosive to metals.

H315 Causes skin irritation.

H318 Causes serious eye damage.

Precautionary statements
P102 Keep out of reach of children.
P234 Keep only in original packaging.

P280 Wear protective gloves/eye protection.
P312 Call a POISON CENTER/doctor if you feel unwell.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a doctor. P302 + P352 IF ON SKIN: Wash with plenty of water.

P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

Other labelling
Labelling for contents according to regulation (EC) No. 648/2004:

- < 5% anionic surfactants
- < 5% non-ionic surfactants
- < 5% soap
- < 5% phosphates

### \* 2.3 Other hazards

### Adverse human health effects and symptoms

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

### Adverse environmental effects

Aquatic Acute 3 H402: Harmful to aquatic life.

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### Results of PBT and vPvB assessment

The product does not contain any PBT-/vPvB-substances according to the recipe.

### **SECTION 3: Composition / information on ingredients**

### 3.1 Substances

not applicable

### 3.2 Mixtures

### **Hazardous ingredients**

CAS No.	EC No.	Substance name	Concentration	Classification according to Regulation (EC) No 1272/2008 [CLP]	SCL/ M/ ATE
15763-76-5	239-854-6	sodium cumenesulphonate	< 5 weight-%	Eye Irrit. 2; H319	
164524-02-1	629-764-9	potassium cumenesulphonate	< 5 weight-%	Eye Irrit. 2; H319	
111798-26-6		Na-alkyl-PEG-ether ester of phosphoric acid	< 5 weight-%	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Aquatic Chronic 3; H412	
102-71-6	203-049-8	triethanolamine [2,2',2"- nitrilotriethanol]	< 5 weight-%		



elma clean 224 (EC 224) Print date 14.12.20 14.12.2022 01.09.2022 2.4 (en) 14.07.2020 (2.3) Revision date Version replaces version of

CAS No.	EC No.	Substance name	Concentration	Classification according to Regulation (EC) No 1272/2008 [CLP]	SCL/ M/ ATE	
929-06-6	213-195-4	2-(2-aminoethoxy)ethanol	< 2 weight-%	Skin Corr. 1B; H314 Eye Dam. 1; H318		
1310-73-2	215-185-5	sodium hydroxide	< 2 weight-%	Met. Corr. 1; H290 Skin Corr. 1A; H314 Eye Dam. 1; H318	Skin Corr. 1A;H314: C>=5% Skin Corr. 1B;H314: 2%<=C<5% Skin Irrit. 2;H315: 0.5%<=C<2% Eye Dam. 1;H318: C>=2% Eye Irrit. 2;H319: 0.5%<=C<2%	
111-76-2	203-905-0	2-butoxyethanol	< 2 weight-%	Acute Tox. 4; H302 Acute Tox. 3; H311 Acute Tox. 3; H331 Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT RE 2; H373	ATE(oral): 1200 mg/kg ATE(inhalation vapour): 3 mg/L	
REACH No.		Substance name				
01-21194894	11-37	sodium cumenesulphonate				
01-21194894	27-24	potassium cumenesulphonate	е			
Not relevant	(polymer	Na-alkyl-PEG-ether ester of p	hosphoric acid			
01-2119486482-31		triethanolamine [2,2',2"-nitrilotriethanol]				
01-2119520701-52		2-(2-aminoethoxy)ethanol				
01-21194578	392-27	sodium hydroxide				
01-2119475108-36		2-butoxyethanol				

### **Additional information**

Aqueous alkaline mixture from anionic und nonionic surfactants, sodium hydroxide, complexing agents, phosphates, cosolvent and amines.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

### **General information**

Remove contaminated, saturated clothing immediately.

## **Following inhalation**

Provide fresh air.

In case of inhaling spray mist, consult a physician. In the event of symptoms refer for medical treatment.

### Following skin contact

In case of contact with skin wash off with warm water. In case of skin irritation, consult a physician.

### After eye contact

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.



### elma clean 224 (EC 224)

14.12.2022 01.09.2022 Print date Revision date Version 2.4 (en) 14.07.2020 (2.3) replaces version of

### Following ingestion

Do NOT induce vomiting. Seek medical advice immediately. Rinse mouth immediately and drink plenty of water. In the event of persistent symptoms receive medical teatment.

### 4.2 Most important symptoms and effects, both acute and delayed

### Symptoms

No further informations available.

### 4.3 Indication of any immediate medical attention and special treatment needed

### Notes for the doctor

No further informations available.

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

### Suitable extinguishing media

Water Extinguishing powder Carbon dioxide (CO2)

### 5.2 Special hazards arising from the substance or mixture

**Hazardous combustion products** In case of fire formation of dangerous gases possible. In the event of fire the following can be released: Nitrogen oxides (NOx) Carbon monoxide Phosphorus oxides Sulphur dioxide (SO2)

### \* 5.3 Advice for firefighters

### Special protective equipment for firefighters

Do not inhale explosion and combustion gases.

### \* Additional information

Co-ordinate fire-fighting measures to the fire surroundings. The product itself does not burn.

### \* SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel
Use personal protection equipment.
Special danger of slipping by leaking/spilling product.

For emergency responders Ensure adequate ventilation. Personal protection equipment Use personal protection. Special danger of slipping by leaking/spilling product.

### 6.2 Environmental precautions

Do not allow to enter into surface water or drains.



### elma clean 224 (EC 224)

14.12.2022 01.09.2022 Print date Revision date Version 2.4 (en) 14.07.2020 (2.3) replaces version of

### 6.3 Methods and material for containment and cleaning up

### For containment

Suitable material for taking up: Universal binder Flush away residues with water. Take up mechanically and send for disposal.

### \* 6.4 Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8

### \* SECTION 7: Handling and storage

### \* 7.1 Precautions for safe handling

### **Protective measures**

Handle and open container with care. Do not inhale aerosols Avoid contact with eyes and skin. The product is not combustible.

# Advices on general occupational hygiene Make available sufficient washing facilities

Keep away from food and drink.

### 7.2 Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Suitable floor material: Alkali-resistant Keep/Store only in original container. Keep container tightly closed.

12 non-combustible liquids that cannot be assigned to any of the above storage classes

### Materials to avoid

Do not store together with:

Acid

Further information on storage conditions Keep locked up and out of reach of children. Protect from heat and direct solar radiation. Storage temperature between 0°C to 30°C (=32°F to 86°F). Do not keep at temperatures below -5°C. Storage time: 4 years.

### 7.3 Specific end use(s)

### Recommendation

no further

### \* SECTION 8: Exposure controls/personal protection

### \* 8.1 Control parameters

### Occupational exposure limit values

CAS No.	EC No.	Substance name	occupational exposure limit value
111-76-2	203-905-0	2-Butoxyethanol	20 [ml/m³(ppm)]
			98 [mg/m³]
			Short-term(ml/m³) 50
			Short-term(mg/m³) 246
			skin resorptive
			2000/39/EC



elma clean 224 (EC 224)
Print date 14.12.2022
Revision date 01.09.2022
Version 2.4 (en)
replaces version of 14.07.2020 (2.3)

CAS No.	EC No.	Substance name	occupational exposure limit value
111-76-2	203-905-0	2-Butoxyethanol	20 [ml/m³(ppm)] 98 [mg/m³] Short-term(ml/m³) 50 (1) Short-term(mg/m³) 246 (1) (1) 15 minutes reference period (IE)
1310-73-2	215-185-5	Sodium hydroxide	Short-term(mg/m³) 2 (1) (1) 15 minutes reference period (IE)
102-71-6	203-049-8	Triethanolamine	5 [mg/m³] (IE)
111-76-2	203-905-0	2-Butoxyethanol	25 [ml/m³(ppm)] 123 [mg/m³] Short-term(ml/m³) 50 Short-term(mg/m³) 246 (UK)
1310-73-2	215-185-5	Sodium hydroxide	Short-term(mg/m³) 2 (UK)

### **DNEL** worker

CAS No.	Substance name	DNEL value	DNEL type	Remark
929-06-6	2-(2-aminoethoxy)ethanol	0.15 mg/m³	long-term inhalative (local)	Assessment factor 75
929-06-6	2-(2-aminoethoxy)ethanol	16.8 mg/m³	long-term inhalative (systemic)	Assessment factor 25
929-06-6	2-(2-aminoethoxy)ethanol	4.8 mg/kg bw/day	long-term dermal (systemic	c) Assessment factor 100
1310-73-2	sodium hydroxide	1 mg/m³	long-term inhalative (local)	Assessment factor 1
111-76-2	2-butoxyethanol	98 mg/m³	long-term inhalative (systemic)	Assessment factor 9
111-76-2	2-butoxyethanol	125 mg/kg bw/day	long-term dermal (systemic	<b>c</b> )
102-71-6	triethanolamine [2,2',2"-nitrilotriethanol]	1 mg/m³	long-term inhalative (local)	
102-71-6	triethanolamine [2,2',2"-nitrilotriethanol]	7.5 mg/kg bw/day	long-term dermal (systemic	c) Assessment factor 50
15763-76-5	sodium cumenesulphonate	37.4 mg/m³	long-term inhalative (systemic)	Assessment factor 25
15763-76-5	sodium cumenesulphonate	191 mg/kg bw/day	long-term dermal (systemic	c) Assessment factor 100
164524-02-1	potassium cumenesulphonate	37.4 mg/m³	long-term inhalative (systemic)	Assessment factor 25
164524-02-1	potassium cumenesulphonate	191 mg/kg bw/day	long-term dermal (systemic	c) Assessment factor 100

### **PNEC**

CAS No.	Substance name	PNEC Value	PNEC type	Remark
111-76-2	2-butoxyethanol	8.8 mg/L	aquatic, freshwater	Assessment factor 10
111-76-2	2-butoxyethanol	463 mg/L	sewage treatment plant (STP)	Assessment factor 1
102-71-6	triethanolamine [2,2',2"-nitrilotriethanol]	0.32 mg/L	aquatic, freshwater	Assessment factor 50
102-71-6	triethanolamine [2,2',2"- nitrilotriethanol]	10 mg/L	sewage treatment plant (STP)	Assessment factor 100
15763-76-5	sodium cumenesulphonate	0.1 mg/L	aquatic, freshwater	Assessment factor 1000
15763-76-5	sodium cumenesulphonate	100 mg/L	sewage treatment plant (STP)	Assessment factor 10
164524-02-1	potassium cumenesulphonate	0.1 mg/L	sediment, freshwater	Assessment factor 1000
164524-02-1	potassium cumenesulphonate	100 μg/kg	sewage treatment plant (STP)	Assessment factor 10



### elma clean 224 (EC 224)

Print date 14.12.2022 01.09.2022 Revision date 2.4 (en) 14.07.2020 (2.3) Version replaces version of

### 8.2 Exposure controls

### Appropriate engineering controls

### Technical measures to prevent exposure

Technical exhaustion if there is a long-term exposition

### Personal protection equipment

### Eye/face protection

tightly fitting goggles

### Hand protection

Gloves (alkali- and solvent-resistant)

Glove material specification [make/type, thickness]: FKM, 0.4mm. Glove material specification [make/type, thickness]: Butyl, 0.5mm.

### **Environmental exposure controls**

## Technical measures to prevent exposure

Neutralization is normally necessary before a waste water is discharged into sewage treatment plants. Avoid penetration into the subsoil/soil.

Do not discharge into surface waters.

### **Additional information**

Occupational exposure limits for triethanolamine.

Occupational exposure limits for sodium hydroxide.

### \* SECTION 9: Physical and chemical properties

### \* 9.1 Information on basic physical and chemical properties

### **Physical state**

liquid

### Colour

light yellow

### Odour

### Safety relevant basis data

	Value	Method	Source, Remark
Odour threshold:			2-butoxyethanol: 0.48 - 288 mg/m3 (0.1 - 58.6 ppm).
Melting point/freezing point	solidifying range ≤ -5 °C		
Boiling point or initial boiling point and boiling range	≥ 100 °C		
flammability	solid		not applicable
flammability	gaseous		not applicable
Lower and upper explosion limit	Upper explosion limit 10.6 Vol-%		Value of 2-butoxyethanol.
Lower and upper explosion limit	Lower explosion limit 1.1 Vol-%		Value of 2-butoxyethanol.
Flash point			No flash point up to 100 °C.
Auto-ignition temperature	230 °C		Value of 2-butoxyethanol.
Decomposition temperature	≥ 100 °C		
рН	in delivery state 12.7 (20°C)		



elma clean 224 (EC 224)

14.12.2022 01.09.2022 Print date Revision date Version 2.4 (en) 14.07.2020 (2.3) replaces version of

	Value	Method	Source, Remark
Viscosity			not determined
Solubility(ies)	Water solubility		miscible
Partition coefficient n-octanol/water (log value)	0.83		Value of 2-butoxyethanol.
Vapour pressure	approx. 24 hPa (20°C)		
Density and/or relative density	1.07 g/cm³ (20°C)		
Relative vapour density	4.1		Value of 2-butoxyethanol.
particle characteristics			not applicable (liquid).

### 9.2 Other information

### Information with regard to physical hazard classes

### **Explosives**

### Assessment/classification

The mixture does not contain any explosive substances (CLP I 2.1.4.3 a). CLP I 2.1.4.3 a: The classification procedure needs not to be applied because there are no chemical groups present in the molecule which are associated with explosive properties.

### flammable gases

# Assessment/classification not applicable (liquid).

### **Aerosols**

### Assessment/classification

not relevant - no aerosol.

The classification criteria for this hazard class are not met by definition.

### Oxidising gas

### Assessment/classification

not applicable (liquid).

### Gases under pressure

### Assessment/classification

not applicable (liquid - no dissolved gas).

### flammable liquids

### Assessment/classification

not flammable, not combustible (No flash point below 100°C).

### flammable solids

### Assessment/classification

not applicable (liquid).

### Self-reactive substances and mixtures

### Assessment/classification

The mixture does not contain any self-reactive substances (CLP I 2.8.4.2 a). CLP I 2.8.4.2 a: There are no chémical groups present in the molecule associated with explosive or self reactive properties.

### **Pyrophoric liquids**

### Assessment/classification

The mixture does not contain any pyrophoric substances - not spontaneously flammable (CLP I 2.9.4.1). CLP I 2.9.4.1: The classification procedure for pyrophoric liquids need not be applied when experience in manufacture or handling shows that the substance or mixture does not ignite spontaneously on coming into contact with air at normal temperatures (i.e. the substance is known to be stable at room temperature for prolonged periods of time (days)).



### elma clean 224 (EC 224)

Print date 14.12.2022 01.09.2022 Revision date 2.4 (en) 14.07.2020 (2.3) Version replaces version of

### Pyrophoric solids

### Assessment/classification

not applicable (liquid).

### self-heating substances and mixtures

### Assessment/classification

The mixture does not contain any self-heating substances.

### Substances or mixtures which, in contact with water, emit flammable gases

### Assessment/classification

not relevant - in contact with water releases no flammable gases (CLP I 2.12.4.1).

CLP I 2.12.4.1: The classification procedure for this class need not be applied if: (a) the chemical structure of the substance or mixture does not contain metals or metalloids; or (b) experience in production or handling shows that the substance or mixture does not react with water, e.g. the substance is manufactured with water or washed with water; or (c) the substance or mixture is known to be soluble in water to form a stable mixture.

### **Oxidising liquids**

### Assessment/classification

The mixture does not contain any oxidising substances.

### Oxidising solids

# Assessment/classification not applicable (liquid).

### Organic peroxides

### Assessment/classification

The mixture does not contain any organic peroxides.

### Corrosive to metals

### Safety characteristics

	Value	Method, Result	Source, Remark
Corrosion rate (mm aluminium/year)	59.6 mm/a	UN Test, Part III of sub- section 37.4	
Corrosion rate (mm steel/year)	0.02 mm/a	UN Test, Part III of sub- section 37.4	

### Assessment/classification

The mixture is classified as corrosive to metals (Met. Corr. 1 H290).

### **Desensitised explosives**

### Assessment/classification

The mixture does not contain any desensitised explosive substances.

### Other safety characteristics

	Value	Method	Source, Remark
Evaporation rate			Water: 0.36 (ASTM D3539).
Evaporation rate			2-butoxyethanol: 0.07 (ASTM D3539) / 163 (DIN 53170).
Solvent content	< 2 %		
Explosive properties			none
Oxidising properties			none

### Other information

No further relevant informations available.



### elma clean 224 (EC 224)

Print date 14.12.2022
Revision date 01.09.2022
Version 2.4 (en)
replaces version of 14.07.2020 (2.3)

## \* SECTION 10: Stability and reactivity

### \* 10.1 Reactivity

Exothermic reaction with:

Acid

No further hazardous reactions known if used as directed.

### 10.2 Chemical stability

Stable at ambient temperature.

### 10.3 Possibility of hazardous reactions

Reactions with oxidising agents. Reactions with strong acids. Reaction with nitric acid

### 10.4 Conditions to avoid

Heat and direct solar radiation.

### 10.5 Incompatible materials

Reactions with strong acids. Oxidising agent Nitric acid Acid chlorides, inorganic Corrodes aluminium.

### 10.6 Hazardous decomposition products

No decomposition if used as directed.

### \* SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

### \* Acute toxicity

### \* Animal data

	Effective dose	Method,Evaluation	Source, Remark
Acute oral toxicity	> 5000 mg/kg	ATE: Acute Toxicity Estimate	
	CAS No.929-06-6 2-(2- aminoethoxy)ethanol LD50: 2558 mg/kg Species Rat		
	CAS No.111-76-2 2- butoxyethanol 1200 mg/kg	ATE: Acute Toxicity Estimate	
	CAS No.111-76-2 2- butoxyethanol LD50: 320 mg/kg Species Rabbit		
Acute dermal toxicity	> 5000 mg/kg	ATE: Acute Toxicity Estimate	
	CAS No.929-06-6 2-(2- aminoethoxy)ethanol LD50: > 3000 mg/kg Species Rabbit		
	CAS No.111-76-2 2- butoxyethanol LD50: 220 mg/kg Species Rabbit		



Acute inhalation toxicity

# Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Source, Remark

elma clean 224 (EC 224)

Print date 14.12.2022 01.09.2022 Revision date Version 2.4 (en)

14.07.2020 (2.3) replaces version of Effective dose Method, Evaluation

> Acute inhalation toxicity (vapour) > 50 mg/L

ATE: Acute Toxicity Estimate

CAS No.111-76-2 2-

ATE: Acute Toxicity

butoxyethanol

Estimate

Acute inhalation toxicity (vapour)

LC50: 3 mg/L CAS No.111-76-2 2butoxyethanol

Acute inhalation toxicity (vapour) LC50: 2.2 mg/L Species Rat

Exposure time 4 h

### Assessment/classification

Based on available data, the classification criteria are not met.

### \* Skin corrosion/irritation

### **Animal data**

Result / Evaluation Method Source, Remark Irritant. Calculation method.

### \* Serious eye damage/irritation

### **Animal data**

Result / Evaluation	Method	Source, Remark
Risk of serious damage to eyes.	Calculation method.	

### \* Sensitisation to the respiratory tract

### Assessment/classification

Based on available data, the classification criteria are not met.

### \* Skin sensitisation

### **Animal data**

Result / Evaluation	Dose / Concentration	Method	Source, Remark
The mixture is not classified as skin		Calculation method.	

## sensitiser. Germ cell mutagenicity

### Assessment/classification

Based on available data, the classification criteria are not met.

### Carcinogenicity

### Assessment/classification

Based on available data, the classification criteria are not met.

### Reproductive toxicity

### Assessment/classification

Based on available data, the classification criteria are not met.

### **Overall Assessment on CMR properties**

The mixture is not classified as mutagen / not classified as carcinogen / not classified as reproductive toxicant.

### \* STOT-single exposure



### elma clean 224 (EC 224)

Print date 14.12.2022 01.09.2022 Revision date Version 2.4 (en) replaces version of 14.07.2020 (2.3)

### STOT SE 1 and 2

### Assessment/classification

The mixture is not classified as specific target organ toxicant (single exposure). Based on available data, the classification criteria are not met.

### STOT SE 3

### Irritation to respiratory tract

### Assessment/classification

Based on available data, the classification criteria are not met.

### **Narcotic effects**

### Assessment/classification

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

### Other information

Contains 2-butoxyethanol.

**Assessment/classification**The mixture is not classified as specific target organ toxicant (repeated exposure). Based on available data, the classification criteria are not met.

### **Aspiration hazard**

### Assessment/classification

The mixture is not classified as aspiration hazardous.

Based on available data, the classification criteria are not met.

### 11.2 Information on other hazards

No data available

### Other information

The mixture is not classified as mutagen / not classified as carcinogen / not classified as reproductive toxicant. Has a degreasing effect on the skin.

### \* SECTION 12: Ecological information

### 12.1 Toxicity

### Aquatic toxicity

Effective dose	Method,Evaluation	Source, Remark
LC50: 67.8 mg/L	calculated.	
CAS No.111798-26-6 Na- alkyl-PEG-ether ester of phosphoric acid LC50: 64 mg/L Test duration 96 h		
not determined		
EC50 66 mg/L	calculated.	
CAS No.111798-26-6 Na- alkyl-PEG-ether ester of phosphoric acid EC50 227 mg/L Test duration 48 h		
not determined		
EC50 20.5 mg/L	calculated.	
	LC50: 67.8 mg/L  CAS No.111798-26-6 Na- alkyl-PEG-ether ester of phosphoric acid LC50: 64 mg/L  Test duration 96 h not determined  EC50 66 mg/L  CAS No.111798-26-6 Na- alkyl-PEG-ether ester of phosphoric acid EC50 227 mg/L  Test duration 48 h not determined	LC50: 67.8 mg/L calculated.  CAS No.111798-26-6 Na-alkyl-PEG-ether ester of phosphoric acid LC50: 64 mg/L  Test duration 96 h not determined  EC50 66 mg/L calculated.  CAS No.111798-26-6 Na-alkyl-PEG-ether ester of phosphoric acid EC50 227 mg/L  Test duration 48 h not determined



elma clean 224 (EC 224)
Print date 14.12.2022
Revision date 01.09.2022
Version 2.4 (en)
replaces version of 14.07.2020 (2.3)

	Effective dose	Method, Evaluation	Source, Remark
Chronic (long-term) toxicity to aquatic algae and cyanobacteria	not determined		
Toxicity to other aquatic plants/organisms	not determined		
Toxicity to microorganisms	not determined		

## Harmful to aquatic life.

### \* 12.2 Persistence and degradability

	Value	Method	Source, Remark
Biodegradation	Degradation rate > 80 %	calculated.	DOC reduction Readily biodegradable (according to OECD criteria).
Biodegradation	Degradation rate 100 %	Neutralization, pH- measurement	Alkaline properties can be eliminated up to 100% by neutralization.
Biodegradation	Degradation rate 96 % Test duration 19 d	OECD 301E/ EEC 92/69/V, C.4-B	CAS No.102-71-6 triethanolamine [2,2',2"- nitrilotriethanol]
Biodegradation			CAS No.1310-73-2 sodium hydroxide
			Inorganic product which is not eliminable from water through biological cleaning processes.
Biodegradation	Degradation rate 62 % Test duration 28 d	OECD 301A/ ISO 7827/ EEC 92/69/V, C.4-A	CAS No.111798-26-6 Na- alkyl-PEG-ether ester of phosphoric acid
Biodegradation	Degradation rate > 60 % Test duration 28 d	OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C	CAS No.111798-26-6 Na- alkyl-PEG-ether ester of phosphoric acid
Biodegradation	Degradation rate 62 % Test duration 28 d	OECD 301E/ EEC 92/69/V, C.4-B	CAS No.111798-26-6 Na- alkyl-PEG-ether ester of phosphoric acid
Biodegradation	Degradation rate 65.1 % Test duration 28 d	OECD 302B/ ISO 9888/ EEC 92/69/V, C.9	CAS No.111798-26-6 Na- alkyl-PEG-ether ester of phosphoric acid
Biodegradation	Degradation rate 99 % Test duration 28 d	OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C	CAS No.15763-76-5 sodium cumenesulphonate
Biodegradation	Degradation rate > 60 % Test duration 28 d	OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C	CAS No.164524-02-1 potassium cumenesulphonate
Biodegradation	Degradation rate 84 % Test duration 28 d	OECD 302B/ ISO 9888/ EEC 92/69/V, C.9	CAS No.929-06-6 2-(2-aminoethoxy)ethanol
Biodegradation	Degradation rate 90.4 % Test duration 28 d	OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C	CAS No.111-76-2 2- butoxyethanol
Biodegradation	Degradation rate 95 % Test duration 28 d	OECD 301E/ EEC 92/69/V, C.4-B	CAS No.111-76-2 2- butoxyethanol



elma clean 224 (EC 224)

14.12.2022 01.09.2022 Print date Revision date Version 2.4 (en) 14.07.2020 (2.3) replaces version of

### 12.3 Bioaccumulative potential

**Assessment/classification** 2-butoxyethanol: Significant accumulation in organisms is not expected (log Pow: 0.83). sodium cumenesulphonate: Bioaccumulation is improbable.

potassium cumenesulphonate: Bioaccumulation is improbable.

sodium hydroxide: No bioaccumulation.
2-(2-aminoethoxy)ethanol: Accumulation in organisms is not expected (log Pow: -1.89).
Na-alkyl-PEG-ether ester of phosphoric acid: not available.

triethanolamine: Accumulation in organisms is not expected (BCF: <0,4).

### 12.4 Mobility in soil

### Assessment/classification

sodium cumenesulphonate: Adsorption on soil is not expected. potassium cumenesulphonate: Adsorption on soil is not expected. sodium hydroxide: Mobile in an aqueous ambience.

2-(2-aminoethoxy)ethanol: Adsorption on soil is not expected. Na-alkyl-PEG-ether ester of phosphoric acid: not available.

2-butoxyethanol: Low adsorption on soil (Koc: 67)

triethanolamine: Adsorption on soil is not expected (Koc: 10).

### 12.5 Results of PBT and vPvB assessment

The product does not contain any PBT-/vPvB-substances according to the recipe.

### \* 12.6 Endocrine disrupting properties

	Effective dose	Method,Evaluation	Source, Remark
Endocrine disrupting properties			This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### \* 12.7 Other adverse effects

	Value	Method	Source, Remark
Ozone depletion potential (ODP):			Based on available data, the classification criteria are not met.

### Additional ecotoxicological information

	Value	Method	Source, Remark
Chemical oyxgen demand (COD)	318 mgO2/g	calculated.	
AOX			The product does not contain any organically bound halogens according to the recipe.

Additional information
The surfactants in our product meet the criteria for biodegradation as laid down in Annex III of the Regulation (EC) No 648/2004 on detergents.

Acute aquatic environmental hazards: Aquatic Acute 3 H402: Harmful to aquatic life.

The mixture is not classified as chronic hazardous to the aquatic environment.

Do not allow uncontrolled discharge of product into the environment.

No further relevant informations available.

### \* SECTION 13: Disposal considerations

### \* 13.1 Waste treatment methods



### elma clean 224 (EC 224)

14.12.2022 01.09.2022 Print date Revision date 2.4 (en) 14.07.2020 (2.3) Version replaces version of

### Waste codes/waste designations according to EWC/AVV

Waste code product Waste name

200129 \* detergents containing hazardous substances

Waste code packaging Waste name

150110 \* packaging containing residues of or contaminated by hazardous substances

### Appropriate disposal / Product

Do not dispose with household waste.

Suitable for neutralization are acetic acid (60%, liquid) or citric acid (solid powder, crystallized) if a stainless steel bath is

Product is allowed to discharge into sewage treatment plants, but in accordance with official regulations.

Appropriate disposal / Package Non-contaminated packages may be recycled.

Handle contaminated packages in the same way as the substance itself.

### **SECTION 14: Transport information**

	Land transport (ADR/RID)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA- DGR)
14.1 UN number or ID number	UN 1824	UN 1824	UN 1824
14.2 UN proper shipping name	SODIUM HYDROXIDE SOLUTION	SODIUM HYDROXIDE SOLUTION	Sodium hydroxide solution
14.3 Transport hazard class(es)	8	8	8
14.4 Packing group	III	III	III
14.5 Environmental hazards	No	No	No

### 14.6 Special precautions for user

### 14.7 Maritime transport in bulk according to IMO instruments

not relevant

### Land transport (ADR/RID)

UN number or ID number UN 1824

UN proper shipping name SODIUM HYDROXIDE SOLUTION

Transport hazard class(es) 8 8 Hazard label(s) Classification code C5 Ш Packing group **Environmental hazards** Nο Limited quantity (LQ) 5 L Special provisions Tunnel restriction code Ε

### Sea transport (IMDG)

UN number or ID number UN 1824

SODIUM HYDROXIDE SOLUTION UN proper shipping name

Transport hazard class(es) 8 Ш Packing group



### elma clean 224 (EC 224)

Print date 14.12.2022
Revision date 01.09.2022
Version 24 (en) 14.07.2020 (2.3)

Environmental hazards No
Limited quantity (LQ) 5 L

Marine pollutant No
EmS F-A, S-B

### Air transport (ICAO-TI / IATA-DGR)

UN number or ID number UN 1824

UN proper shipping name Sodium hydroxide solution

Transport hazard class(es) 8
Packing group III
Environmental hazards No

### \* SECTION 15: Regulatory information

- \* 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- EU legislation

### **Authorisations**

not relevant

### Restrictions on use

Regulation (EC) No 1907/2006 (REACH), Annex XVII No 3 - not relevant if used as directed. Regulation (EC) No 1907/2006 (REACH), Annex XVII No 75 - not relevant if used as directed.

### \* Restrictions of occupation

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

### \* Other regulations (EU)

### To follow:

Regulation (EC) No. 648/2004 (Detergents regulation) Directive 2012/18/EU, Annex I: not mentioned.

## \* Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive] VOC VOC content, delivery state < 2 %

### 15.2 Chemical Safety Assessment

### National regulations

For this mixture a chemical safety assessment were not carried out.



### elma clean 224 (EC 224)

14.12.2022 01.09.2022 Print date Revision date 2.4 (en) Version 14.07.2020 (2.3) replaces version of

### **SECTION 16: Other information**

**Abbreviations and acronyms**For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road ASTM: American Society for Testing and Materials

ATE: Acute Toxicity Estimate
AVV: Waste Shipment Ordinance (DE) DGR: Dangerous Goods Regulations (IATA)

DNEL: derived no-effect level DOC: Dissolved Organic Carbon EmS: emergency procedures

IATA: International Air Transport Association ICAO: International Civil Aviation Organization IMDG: International Maritime Dangerous Goods IMO: International Maritime Organization JArbSchG: Youth Labor Protection Act (DE)

OECD: Organisation for Economic Cooperation and Development

PBT: persistent and bioaccumulative and toxic

RID: Dangerous goods regulations for transport by rail

SCL: Specific concentration limit

TI: Technical Instruction

TRGS: Technical Rules for Hazardous Substances

VOC: Volatile organic compounds

vPvB: very persistent, very bioaccumulative

### Key literature references and sources for data

Own measurements.

European Chemicals Agency, http://echa.europa.eu/.

Informations from our suppliers.

### Additional information

National and local regulations concerning chemicals shall be observed.

These data are given according to our actual knowledge about this product. This data sheet does not correspond to an assurance by virtue of a contract for properties of the product.

### Relevant H- and EUH-phrases (Number and full text)

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H412	Harmful to aquatic life with long lasting effects.

## Indication of changes

Data changed compared with the previous version