



elma clean 300 (EC 300)

Print date 30.10.2024
Revision date 30.10.2024
Version 2.0 (en)
replaces version of 12.09.2022 (1.9)

*** SECTION 1: Identification of the substance/mixture and of the company/undertaking**

1.1 Product identifier

Trade name/designation elma clean 300 (EC 300)
Unique Formula Identifier UFI: SP20-V05D-F00R-A87V
Product category PC-CLN-OTH Other cleaning, care and maintenance products (excludes biocidal products)

Hazard components

tripotassium orthophosphate

*** 1.2 Relevant identified uses of the substance or mixture and uses advised against**

Sector of uses [SU]

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
SU3 Industrial uses

*** Product Categories [PC]**

PC35 Washing and cleaning products

Use of the substance/mixture

Alkaline cleaning concentrate.

1.3 Details of the supplier of the safety data sheet

Supplier

Elma Schmidbauer GmbH
Gottlieb-Daimler-Str. 17
D-78224 Singen (Htwl.)
Telephone +49 7731 882-0
Telefax +49 7731 882-266
E-mail info@elma-ultrasonic.com
Website www.elma-ultrasonic.com

Department responsible for information:

Chemie/Labor: Email: chemlab@elma-ultrasonic.com

1.4 Emergency telephone number

Vergiftungs-Informationen-Zentrale Freiburg (Sprache/Language: DE, +49 761 19240 EN)

*** SECTION 2: Hazards identification**

*** 2.1 Classification of the substance or mixture**

Classification according to Regulation (EC) No 1272/2008 [CLP]	Classification procedure
--	--------------------------

Met. Corr. 1, H290	Expert judgement and weight of evidence determination.
Skin Corr. 1B, H314	On basis of test data.
Eye Dam. 1, H318	Calculation method.

Hazard statements for physical hazards

H290 May be corrosive to metals.

Hazard statements for health hazards

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

*** 2.2 Label elements**

*** Labelling according to Regulation (EC) No 1272/2008 [CLP]**

Hazard components

tripotassium orthophosphate



elma clean 300 (EC 300)

Print date 30.10.2024
Revision date 30.10.2024
Version 2.0 (en)
replaces version of 12.09.2022 (1.9)

Hazard pictograms



GHS05

Signal word

Danger

Hazard statements

H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.

- * **Precautionary statements**
P405 Store locked up.
P102 Keep out of reach of children.
P234 Keep only in original packaging.
P261 Avoid breathing mist/spray.
P280 Wear protective gloves/eye protection.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a doctor.
P302 + P352 IF ON SKIN: Wash with plenty of water.
P332 + P313 If skin irritation occurs: Get medical advice/attention.
P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

- * **Other labelling**
Labelling for contents according to regulation (EC) No. 648/2004:
< 5% anionic surfactants
< 5% non-ionic surfactants
15 - 30% phosphates
< 5% phosphonates

* **2.3 Other hazards**

- * **Adverse human health effects and symptoms**
Inhalation of spray may cause respiratory irritation.
This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.
- * **Adverse environmental effects**
Aquatic Acute 3 H402: Harmful to aquatic life.
This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Results of PBT and vPvB assessment

The product does not contain any PBT-/vPvB-substances according to the recipe.

* **SECTION 3: Composition / information on ingredients**

3.1 Substances

not applicable

* **3.2 Mixtures**

Hazardous ingredients

CAS No	EC No	Index No	Substance name	Concentration	Classification according to Regulation (EC) No 1272/2008 [CLP]	SCL/ M/ ATE
7778-53-2	231-907-1		tripotassium orthophosphate	15 - 30 weight-%	Met. Corr. 1; H290 Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335	

REACH No.	Substance name
01-2119971078-30	tripotassium orthophosphate



elma clean 300 (EC 300)

Print date 30.10.2024
Revision date 30.10.2024
Version 2.0 (en)
replaces version of 12.09.2022 (1.9)

Additional information

Aqueous mildly alkaline mixture from anionic and nonionic tensides, complexing agents and phosphates.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove contaminated, saturated clothing immediately.

Following inhalation

Provide fresh air.
In case of inhaling spray mist, consult a physician.
In the event of symptoms refer for medical treatment.

Following skin contact

In case of contact with skin wash off immediately with plenty of water.
In case of skin irritation, consult a physician.

After eye contact

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Following ingestion

Do NOT induce vomiting.
If swallowed seek medical advice immediately and show the doctor packing or label.
Rinse mouth immediately and drink plenty of water.
Medical treatment necessary.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms

No further informations available.

4.3 Indication of any immediate medical attention and special treatment needed

Notes for the doctor

No further informations available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

In case of fire formation of dangerous gases possible.
In the event of fire the following can be released:
Corrosive gases/vapours
Nitrogen oxides (NO_x)
Carbon monoxide
Phosphorus oxides

5.3 Advice for firefighters

Special protective equipment for firefighters

Do not inhale explosion and combustion gases.

Additional information

Co-ordinate fire-fighting measures to the fire surroundings.
The product itself does not burn.



elma clean 300 (EC 300)

Print date 30.10.2024
Revision date 30.10.2024
Version 2.0 (en)
replaces version of 12.09.2022 (1.9)

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Use personal protection equipment.
Special danger of slipping by leaking/spilling product.

For emergency responders

Personal protection equipment
Use personal protection.
Use breathing apparatus if exposed to vapours/dust/aerosol.
Forms slippery surfaces with water.
Special danger of slipping by leaking/spilling product.

6.2 Environmental precautions

Do not allow to enter into surface water or drains.

6.3 Methods and material for containment and cleaning up

For containment

Suitable material for taking up:
Kieselguhr
Flush away residues with water.
Take up mechanically and send for disposal.

6.4 Reference to other sections

Safe handling: see section 7
Personal protection equipment: see section 8

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Protective measures

Handle and open container with care.
Do not inhale aerosols
Avoid contact with eyes and skin.
The product is not combustible.

Advices on general occupational hygiene

Make available sufficient washing facilities
Keep away from food and drink.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep/Store only in original container.
Keep container tightly closed.

Materials to avoid

Do not store together with:
Acid

Further information on storage conditions

Keep locked up and out of reach of children.
Protect from heat and direct solar radiation.
Do not store at temperature above 25°C (=77°F).
Do not keep at temperatures below 5°C.
Storage time: 3 years.

7.3 Specific end use(s)

Recommendation

Do not use the product itself for injecting or spraying. Use only the diluted application solution for splash cleaning.



elma clean 300 (EC 300)

Print date 30.10.2024
Revision date 30.10.2024
Version 2.0 (en)
replaces version of 12.09.2022 (1.9)

*** SECTION 8: Exposure controls/personal protection**

*** 8.1 Control parameters**

*** DNEL worker**

CAS No	Substance name	DNEL value	DNEL type	Remark
7778-53-2	tripotassium orthophosphate	23.09 mg/m ³	long-term inhalative (systemic)	Assessment factor 50

8.2 Exposure controls

Appropriate engineering controls

Technical measures to prevent exposure
Splash cleaning only in enclosed systems.

Personal protection equipment

Eye/face protection
tightly fitting goggles

Hand protection
Gloves (alkali-resistant)
Glove material specification [make/type, thickness]: FKM, 0.4mm.
Glove material specification [make/type, thickness]: NBR, 0.35mm.
Glove material specification [make/type, thickness]: Butyl, 0.5mm.

Environmental exposure controls

Technical measures to prevent exposure
Neutralization is normally necessary before a waste water is discharged into sewage treatment plants.
Avoid penetration into the subsoil/soil.
Do not discharge into surface waters.

Additional information

Occupational exposure limits: No relevant informations available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state
liquid

Colour
light yellow

Odour
mild

Safety relevant basis data

	Value	Method	Source, Remark
Odour threshold:			not determined
Melting point/freezing point	solidifying range < -5 °C		
Boiling point or initial boiling point and boiling range	> 100 °C		
flammability	solid		not relevant
flammability	gaseous		not relevant
Lower and upper explosion limit	Upper explosion limit		not relevant



Safety Data Sheet according to Regulation (EC) No 1907/2006 (REACH)

elma clean 300 (EC 300)

Print date 30.10.2024
Revision date 30.10.2024
Version 2.0 (en)
replaces version of 12.09.2022 (1.9)

	Value	Method	Source, Remark
Lower and upper explosion limit	Lower explosion limit		not relevant
Flash point			No flash point up to 100 °C.
Auto-ignition temperature	> 300 °C		Value of complexing agents.
Decomposition temperature	> 100 °C		
pH	in delivery state 11.8 (20°C) Concentration 10 g/L		
Viscosity			not determined
Solubility(ies)	Water solubility		miscible
Partition coefficient n-octanol/water (log value)			No relevant informations available.
Partition coefficient n-octanol/water (log value)			CAS No7778-53-2 tripotassium orthophosphate
			Product/Substance is inorganic.
Vapour pressure	approx. 23 hPa (20°C)		
Density and/or relative density	1.42 g/cm ³ (20°C)		
Relative vapour density	0.62		Value of Water.
particle characteristics			not applicable (liquid).

9.2 Other information

Information with regard to physical hazard classes

Explosives

Assessment/classification

The mixture does not contain any explosive substances (CLP I 2.1.4.3 a).

CLP I 2.1.4.3 a: The classification procedure needs not to be applied because there are no chemical groups present in the molecule which are associated with explosive properties.

flammable gases

Assessment/classification

not applicable (liquid).

Aerosols

Assessment/classification

not relevant - no aerosol.

The classification criteria for this hazard class are not met by definition.

Oxidising gas

Assessment/classification

not applicable (liquid).

Gases under pressure

Assessment/classification

not applicable (liquid - no dissolved gas).

flammable liquids

Assessment/classification

not flammable, not combustible (No flash point below 100°C).



elma clean 300 (EC 300)

Print date 30.10.2024
Revision date 30.10.2024
Version 2.0 (en)
replaces version of 12.09.2022 (1.9)

flammable solids

Assessment/classification
not applicable (liquid).

Self-reactive substances and mixtures

Assessment/classification
The mixture does not contain any self-reactive substances (CLP I 2.8.4.2 a).
CLP I 2.8.4.2 a: There are no chemical groups present in the molecule associated with explosive or self reactive properties.

Pyrophoric liquids

Assessment/classification
The mixture does not contain any pyrophoric substances - not spontaneously flammable (CLP I 2.9.4.1).
CLP I 2.9.4.1: The classification procedure for pyrophoric liquids need not be applied when experience in manufacture or handling shows that the substance or mixture does not ignite spontaneously on coming into contact with air at normal temperatures (i.e. the substance is known to be stable at room temperature for prolonged periods of time (days)).

Pyrophoric solids

Assessment/classification
not applicable (liquid).

self-heating substances and mixtures

Assessment/classification
The mixture does not contain any self-heating substances.

Substances or mixtures which, in contact with water, emit flammable gases

Assessment/classification
not relevant - in contact with water releases no flammable gases (CLP I 2.12.4.1).
CLP I 2.12.4.1: The classification procedure for this class need not be applied if: (a) the chemical structure of the substance or mixture does not contain metals or metalloids; or (b) experience in production or handling shows that the substance or mixture does not react with water, e.g. the substance is manufactured with water or washed with water; or (c) the substance or mixture is known to be soluble in water to form a stable mixture.

Oxidising liquids

Assessment/classification
The mixture does not contain any oxidising substances.

Oxidising solids

Assessment/classification
not applicable (liquid).

Organic peroxides

Assessment/classification
The mixture does not contain any organic peroxides.

Corrosive to metals

Safety characteristics

	Value	Method, Result	Source, Remark
Corrosion rate (mm aluminium/year)	> 6.25 mm/a	Expert judgement and weight of evidence determination.	
Corrosion rate (mm steel/year)			not available

Assessment/classification
The mixture is classified as corrosive to metals (Met. Corr. 1 H290).

Desensitised explosives

Assessment/classification
The mixture does not contain any desensitised explosive substances.



elma clean 300 (EC 300)

Print date 30.10.2024
Revision date 30.10.2024
Version 2.0 (en)
replaces version of 12.09.2022 (1.9)

Other safety characteristics

	Value	Method	Source, Remark
Evaporation rate			Water: 0.36 (ASTM D3539).
Solvent content	0 %		
Explosive properties			none
Oxidising properties			none

Other information

No further relevant informations available.

SECTION 10: Stability and reactivity

10.1 Reactivity

Exothermic reaction with:
Acid
No further hazardous reactions known if used as directed.

10.2 Chemical stability

Stable at ambient temperature.

10.3 Possibility of hazardous reactions

Reactions with acids.
Reactions with oxidising agents.
Reactions with light metals, with evolution of hydrogen.

10.4 Conditions to avoid

Heat and direct solar radiation.

10.5 Incompatible materials

Reactions with strong acids.
Oxidising agent
Corrodes aluminium.

10.6 Hazardous decomposition products

No decomposition if used as directed.

*** SECTION 11: Toxicological information**

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Animal data

	Effective dose	Method, Evaluation	Source, Remark
Acute oral toxicity	> 5000 mg/kg	ATE: Acute Toxicity Estimate	
Acute dermal toxicity	> 5000 mg/kg	ATE: Acute Toxicity Estimate	
Acute inhalation toxicity	Acute inhalation toxicity (vapour)		not relevant
	Acute inhalation toxicity (dust/mist) > 12.5 mg/L	ATE: Acute Toxicity Estimate	

Assessment/classification

Based on available data, the classification criteria are not met.



elma clean 300 (EC 300)

Print date 30.10.2024
Revision date 30.10.2024
Version 2.0 (en)
replaces version of 12.09.2022 (1.9)

* **Skin corrosion/irritation**

Animal data

Result / Evaluation	Method	Source, Remark
corrosive	On basis of test data.	

Serious eye damage/irritation

Animal data

Result / Evaluation	Method	Source, Remark
Risk of serious damage to eyes.	Calculation method.	

Sensitisation to the respiratory tract

Assessment/classification

Based on available data, the classification criteria are not met.

Skin sensitisation

Animal data

Result / Evaluation	Dose / Concentration	Method	Source, Remark
The mixture is not classified as skin sensitiser.		Calculation method.	

Germ cell mutagenicity

Assessment/classification

Based on available data, the classification criteria are not met.

Carcinogenicity

Assessment/classification

Based on available data, the classification criteria are not met.

Reproductive toxicity

Assessment/classification

Based on available data, the classification criteria are not met.

Overall Assessment on CMR properties

The mixture is not classified as mutagen / not classified as carcinogen / not classified as reproductive toxicant.

STOT-single exposure

STOT SE 1 and 2

Assessment/classification

The mixture is not classified as specific target organ toxicant (single exposure).
Based on available data, the classification criteria are not met.

STOT SE 3

Irritation to respiratory tract

Other information

Inhalation of spray may cause respiratory irritation.

Assessment/classification

Based on available data, the classification criteria are not met.

Narcotic effects

Assessment/classification

Based on available data, the classification criteria are not met.



elma clean 300 (EC 300)

Print date 30.10.2024
Revision date 30.10.2024
Version 2.0 (en)
replaces version of 12.09.2022 (1.9)

STOT-repeated exposure

Assessment/classification

The mixture is not classified as specific target organ toxicant (repeated exposure).
Based on available data, the classification criteria are not met.

Aspiration hazard

Assessment/classification

The mixture is not classified as aspiration hazardous.
Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Information on other hazards

	Effective dose	Method,Evaluation	Source, Remark
Endocrine disrupting properties			This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

* **Other information**

OECD 431: skin corrosive category 1B.
Has degreasing effect on the skin.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity

	Effective dose	Method,Evaluation	Source, Remark
Acute (short-term) fish toxicity	LC50: >10- 100 mg/L	calculated.	
Chronic (long-term) fish toxicity	not determined		
Acute (short-term) toxicity to crustacea	EC50 >10- 100 mg/L	calculated.	
Chronic (long-term) toxicity to aquatic invertebrate	not determined		
Acute (short-term) toxicity to algae and cyanobacteria	EC50 >10- 100 mg/L	calculated.	
Chronic (long-term) toxicity to aquatic algae and cyanobacteria	not determined		
Toxicity to other aquatic plants/organisms	not determined		
Toxicity to microorganisms	not determined		

Assessment/classification

Harmful to aquatic life.

12.2 Persistence and degradability

	Value	Method	Source, Remark
Biodegradation	Degradation rate > 80 %	OECD 302B/ ISO 9888/ EEC 92/69/V, C.9	Readily biodegradable (according to OECD criteria).
Biodegradation	Degradation rate 100 %	Neutralization, pH-measurement	Alkaline properties can be eliminated up to 100% by neutralization.



Safety Data Sheet according to Regulation (EC) No 1907/2006 (REACH)

elma clean 300 (EC 300)

Print date 30.10.2024
Revision date 30.10.2024
Version 2.0 (en)
replaces version of 12.09.2022 (1.9)

	Value	Method	Source, Remark
Biodegradation			CAS No7778-53-2 tripotassium orthophosphate Inorganic product which is not eliminable from water through biological cleaning processes.

12.3 Bioaccumulative potential

Assessment/classification

tripotassium orthophosphate: not available.

12.4 Mobility in soil

Assessment/classification

tripotassium orthophosphate: not available.

12.5 Results of PBT and vPvB assessment

The product does not contain any PBT-/vPvB-substances according to the recipe.

12.6 Endocrine disrupting properties

	Effective dose	Method,Evaluation	Source, Remark
Endocrine disrupting properties			This product does not contain a substance that has endocrine disrupting properties with respect to non- target organisms as no components meets the criteria.

12.7 Other adverse effects

	Value	Method	Source, Remark
Ozone depletion potential (ODP):			Based on available data, the classification criteria are not met.

Additional ecotoxicological information

	Value	Method	Source, Remark
Chemical oxygen demand (COD) AOX	125 mg/g	calculated.	The product does not contain any organically bound halogens according to the recipe.

Additional information

The surfactants in our product meet the criteria for biodegradation as laid down in Annex III of the Regulation (EC) No 648/2004 on detergents.

Acute aquatic environmental hazards: Aquatic Acute 3 H402: Harmful to aquatic life.

The mixture is not classified as chronic hazardous to the aquatic environment.

Do not allow uncontrolled discharge of product into the environment.

No further relevant informations available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste codes/waste designations according to EWC/AVV

Waste code product	Waste name
200129 *	detergents containing hazardous substances



elma clean 300 (EC 300)

Print date 30.10.2024
Revision date 30.10.2024
Version 2.0 (en)
replaces version of 12.09.2022 (1.9)

Waste code packaging	Waste name
150110 *	packaging containing residues of or contaminated by hazardous substances

Appropriate disposal / Product

Do not dispose with household waste.

Suitable for neutralization are acetic acid (60%, liquid) or citric acid (solid powder, crystallized) if a stainless steel bath is used.

Product is allowed to discharge into sewage treatment plants, but in accordance with official regulations.

Appropriate disposal / Package

Non-contaminated packages may be recycled.

Handle contaminated packages in the same way as the substance itself.

*** SECTION 14: Transport information**

	Land transport (ADR/RID)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1 UN number or ID number	UN 1719	UN 1719	UN 1719
14.2 UN proper shipping name	CAUSTIC ALKALI LIQUID, N.O.S. (tripotassium orthophosphate)	CAUSTIC ALKALI LIQUID, N.O.S. (tripotassium orthophosphate)	Caustic alkali liquid, n.o.s. (tripotassium orthophosphate)
14.3 Transport hazard class(es)	8	8	8
14.4 Packing group	II	II	II
14.5 Environmental hazards	-	-	-

14.6 Special precautions for user

none

14.7 Maritime transport in bulk according to IMO instruments

not relevant

Land transport (ADR/RID)

UN number or ID number UN 1719
UN proper shipping name CAUSTIC ALKALI LIQUID, N.O.S. (tripotassium orthophosphate)
Transport hazard class(es) 8
Hazard label(s) 8
Classification code C5
Packing group II
Environmental hazards -
Limited quantity (LQ) 1 L
Special provisions 274
Tunnel restriction code E

Sea transport (IMDG)

UN number or ID number UN 1719
UN proper shipping name CAUSTIC ALKALI LIQUID, N.O.S. (tripotassium orthophosphate)
Transport hazard class(es) 8
Packing group II
Environmental hazards -
Limited quantity (LQ) 1 L
Marine pollutant No



Safety Data Sheet according to Regulation (EC) No 1907/2006 (REACH)

elma clean 300 (EC 300)

Print date 30.10.2024
Revision date 30.10.2024
Version 2.0 (en)
replaces version of 12.09.2022 (1.9)

EmS

F-A, S-B

Air transport (ICAO-TI / IATA-DGR)

UN number or ID number UN 1719
UN proper shipping name Caustic alkali liquid, n.o.s. (tripotassium orthophosphate)
Transport hazard class(es) 8
Packing group II
Environmental hazards -

*** SECTION 15: Regulatory information**

*** 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

*** EU legislation**

Authorisations
not relevant

*

Restrictions on use
Regulation (EC) No 1907/2006 (REACH), Annex XVII No 3 - not relevant if used as directed.
Regulation (EC) No 1907/2006 (REACH), Annex XVII No 75 - not relevant if used as directed.

Restrictions of occupation
Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

Other regulations (EU)

To follow:
Regulation (EC) No. 648/2004 (Detergents regulation)
Directive 2012/18/EU, Annex I: not mentioned.

Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive] VOC
VOC content, delivery state 0 %

15.2 Chemical Safety Assessment

National regulations

For this mixture a chemical safety assessment were not carried out.



elma clean 300 (EC 300)

Print date 30.10.2024
Revision date 30.10.2024
Version 2.0 (en)
replaces version of 12.09.2022 (1.9)

*** SECTION 16: Other information**

*** Abbreviations and acronyms**

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

ASTM: American Society for Testing and Materials

ATE: Acute Toxicity Estimate

AVV: Waste Shipment Ordinance (DE)

DGR: Dangerous Goods Regulations (IATA)

DNEL: derived no-effect level

DOC: Dissolved Organic Carbon

EmS: emergency procedures

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

IMDG: International Maritime Dangerous Goods

IMO: International Maritime Organization

JArbSchG: Youth Labor Protection Act (DE)

OECD: Organisation for Economic Cooperation and Development

PBT: persistent and bioaccumulative and toxic

RID: Dangerous goods regulations for transport by rail

TI: Technical Instruction

TRGS: Technical Rules for Hazardous Substances

VOC: Volatile organic compounds

vPvB: very persistent, very bioaccumulative

Met. Corr. 1: Corrosive to metals, Category 1

Skin Corr. 1B: Skin corrosion, Sub-category 1B

Skin Irrit. 2: Skin irritation, Category 2

Eye Dam. 1: Serious eye damage, Category 1

STOT SE 3, H335: Specific target organ toxicity (single exposure), Category 3

Key literature references and sources for data

Own measurements.

European Chemicals Agency, <http://echa.europa.eu/>.

Informations from our suppliers.

Additional information

National and local regulations concerning chemicals shall be observed.

These data are given according to our actual knowledge about this product. This data sheet does not correspond to an assurance by virtue of a contract for properties of the product.

Relevant H- and EUH-phrases (Number and full text)

H290 May be corrosive to metals.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

Indication of changes

* Data changed compared with the previous version